

Bibliography ASSIST and ASSIST Lite

1. Abbott, P. J. (2011). Screening American Indian/Alaska natives for alcohol abuse and dependence in medical settings. *Current Drug Abuse Reviews*, 4(4), 210-214.
2. Abou-Saleh, M., Davis, P., Rice, P., Checinski, K., Drummond, C., Maxwell, D., Godfrey, C., John, C., Corrin, B., Tibbs, C., Oyefeso, A., de Ruyter, M., & Ghodse, H. (2008). The effectiveness of behavioural interventions in the primary prevention of hepatitis C amongst injecting drug users: a randomised controlled trial and lessons learned. *Harm Reduction Journal*, 5, 25. doi:10.1186/1477-7517-5-25
3. Aguilar-Raab, C., Heene, M., Grevenstein, D., & Weinhold, J. (2015). Assessing Drug Consumption Behavior With the Heidelberger Drogenbogen (Heidelberg Drug Scales): Reliabilities, Validities, and Cut-Off Criteria. *Substance Use & Misuse*, 50(13), 1638-1649. doi:10.3109/10826084.2015.1027926
4. Ait-Daoud, N., & Bashir, M. (2011). Women and substance abuse: Health considerations and recommendations. *CNS Spectrums*, 16(2).
5. Alexandercikova, Z., Walton, M. A., Chermack, S. T., Cunningham, R. M., Barry, K. L., & Blow, F. C. (2013). Correlates of partner and non-partner aggression among patients with substance use disorders in an urban ED. *Journal of Substance Use*, 18(4), 262-274. doi:10.3109/14659891.2012.668260
6. Alford, D. P., German, J. S., Samet, J. H., Cheng, D. M., Lloyd-Travaglini, C. A., & Saitz, R. (2016). Primary Care Patients with Drug Use Report Chronic Pain and Self-Medicating with Alcohol and Other Drugs. *Journal of General Internal Medicine*, 31(5), 486-491. doi:10.1007/s11606-016-3586-5
7. Ali, R., Gowing, L., & Harland, J. (2016). The Ultrarapid Alcohol, Smoking, and Substance Involvement Screening Test (ASSIST-Lite) and Implications for Neuropathology *Neuropathology of Drug Addictions and Substance Misuse* (Vol. 1, pp. 649-659): Elsevier Inc.
8. Ali, R., Meena, S., Eastwood, B., Richards, I., & Marsden, J. (2013). Ultra-rapid screening for substance-use disorders: the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST-Lite). *Drug & Alcohol Dependence*, 132(1-2), 352-361. doi:http://dx.doi.org/10.1016/j.drugalcdep.2013.03.001
9. Allen, J., Hamilton, A., Nunn, R., Crock, L., Frecker, J., & Burk, N. (2009). Evaluation of a community-based mental health drug and alcohol nurse in the care of people living with HIV/AIDS. *Journal of Psychiatric & Mental Health Nursing*, 16(2), 129-136. doi:http://dx.doi.org/10.1111/j.1365-2850.2008.01340.x
10. Allen, J., Litten, R. Z., & Lee, A. (1998). What you need to know: detecting alcohol problems in general medical practice. *Singapore Medical Journal*, 39(1), 38-41.
11. Allen, J. P., & Litten, R. Z. (1993). Psychometric and Laboratory Measures to Assist in the Treatment of Alcoholism. *Clinical Psychology Review*, 13(3), 223-

239. doi:Doi 10.1016/0272-7358(93)90021-D
12. Allen, J. P., Reinert, D. F., & Volk, R. J. (2001). The alcohol use disorders identification test: an aid to recognition of alcohol problems in primary care patients. *Preventive Medicine, 33*(5), 428-433. doi:10.1006/pmed.2001.0910
 13. Amaral-Sabadini, M. B., Saitz, R., & Souza-Formigoni, M. L. O. (2010). Do attitudes about unhealthy alcohol and other drug (AOD) use impact primary care professionals' readiness to implement AOD-related preventive care? *Drug and Alcohol Review, 29*(6), 655-661. doi:10.1111/j.1465-3362.2010.00222.x
 14. Ambaw, F., Mayston, R., Hanlon, C., & Alem, A. (2015). Depression among patients with tuberculosis: determinants, course and impact on pathways to care and treatment outcomes in a primary care setting in southern Ethiopia—a study protocol. *BMJ Open, 5*(7). doi:10.1136/bmjopen-2015-007653
 15. Anczak, J. D., & Nogler, R. A., 2nd. (2003). Tobacco cessation in primary care: maximizing intervention strategies. *Clin Med Res, 1*(3), 201-216.
 16. Andrade, A. G., Duarte Pdo, C., Barroso, L. P., Nishimura, R., Alberghini, D. G., & Oliveira, L. G. (2012). Use of alcohol and other drugs among Brazilian college students: effects of gender and age. *Revista Brasileira de Psiquiatria, 34*(3), 294-305.
 17. Angkurawaranon, C., Wisetborisut, A., Jiraporncharoen, W., Likhitsathian, S., Uaphanthasath, R., Gomutbutra, P., Jiraniramai, S., Lerssrimonkol, C., Aramrattanna, A., Doyle, P., & Nitsch, D. (2014). Chiang Mai University Health Worker Study aiming toward a better understanding of noncommunicable disease development in Thailand: methods and description of study population. *Clinical Epidemiology, 6*, 277-286. doi:10.2147/CLEP.S65338
 18. Apantaku-Olajide, T., Darker, C. D., & Smyth, B. P. (2013). Onset of Cocaine Use: Associated Alcohol Intoxication and Psychosocial Characteristics Among Adolescents in Substance Abuse Treatment. *Journal of Addiction Medicine, 7*(3), 183-188. doi:10.1097/ADM.0b013e318288daa2
 19. Asbridge, M., Duff, C., Marsh, D. C., & Erickson, P. G. (2014). Problems with the Identification of 'Problematic' Cannabis Use: Examining the Issues of Frequency, Quantity, and Drug Use Environment. *European Addiction Research, 20*(5), 254-267.
 20. Assanangkornchai, S., Balthip, Q., & Edwards, J. G. (2013). Screening and brief intervention for substance misuse in Thailand. *Public Health, 127*(12), 1140-1142. doi:10.1016/j.puhe.2013.08.011
 21. Assanangkornchai, S., Balthip, Q., Edwards, J. G., & assistance of the, A.-S. B. I. D. C.-i. (2014). Implementing the Alcohol, Smoking, Substance Involvement Screening Test and linked brief intervention service in primary care in Thailand. *Journal of Public Health, 36*(3), 443-449. doi:10.1093/pubmed/fdu011
 22. Assanangkornchai, S., & Edwards, J. G. (2015). Screening for Nicotine and Drug Use Disorders. In N. el-Guebaly, G. Carrà, & M. Galanter (Eds.), *Textbook of Addiction Treatment: International Perspectives* (pp. 207-223). Milano: Springer Milan.
 23. Assanangkornchai, S., & Nima, P. (2012). Screening and Brief Intervention for

- Harmful Alcohol and Drug Use in Primary Care and Community Settings in Thailand. *Alcoholism-Clinical and Experimental Research*, 36, 24a-24a.
24. Assanangkornchai, S., Nima, P., McNeil, E. B., & Edwards, J. G. (2015). Comparative trial of the WHO ASSIST-linked brief intervention and simple advice for substance abuse in primary care. *Asian Journal of Psychiatry*, 18, 75-80. doi:http://dx.doi.org/10.1016/j.ajp.2015.09.003
 25. Baker, T. E., Stockwell, T., & Holroyd, C. B. (2013). Constraints on decision making: Implications from genetics, personality, and addiction. *Cognitive, Affective, & Behavioral Neuroscience*, 13(3), 417-436. doi:10.3758/s13415-013-0164-8
 26. Baker, T. E., Wood, J. M. A., & Holroyd, C. B. (2016). Atypical valuation of monetary and cigarette rewards in substance dependent smokers. *Clinical Neurophysiology*, 127(2), 1358-1365. doi:http://dx.doi.org/10.1016/j.clinph.2015.11.002
 27. Balousek, S., Plane, M. B., & Fleming, M. (2007). Prevalence of interpersonal abuse in primary care patients prescribed opioids for chronic pain. *Journal of General Internal Medicine*, 22(9), 1268-1273.
 28. Barbosa, C., Cowell, A. J., Landwehr, J., Dowd, W., & Bray, J. W. (2016). Cost of Screening, Brief Intervention, and Referral to Treatment in Health Care Settings. *Journal of Substance Abuse Treatment*, 60, 54-61. doi:http://dx.doi.org/10.1016/j.jsat.2015.06.005
 29. Barreto, H. A., de Oliveira Christoff, A., & Boerngen-Lacerda, R. (2014). Development of a self-report format of ASSIST with university students. *Addictive Behaviors*, 39(7), 1152-1158. doi:http://dx.doi.org/10.1016/j.addbeh.2014.03.014
 30. Barry, C., Busch, S., Epstein, A., & Fiellin, D. (2015). Willingness to enter drug treatment: The role of treatment models, copays and financial incentives. *Drug and Alcohol Dependence*, 146, e218.
 31. Barry, L. C., Wakefield, D. B., Trestman, R. L., & Conwell, Y. (2016). Disability in prison activities of daily living and likelihood of depression and suicidal ideation in older prisoners. *International Journal of Geriatric Psychiatry*, n/a-n/a. doi:10.1002/gps.4578
 32. Basu, D., Ghosh, A., Hazari, N., & Parakh, P. (2016). Use of Family CAGE-AID questionnaire to screen the family members for diagnosis of substance dependence. *Indian Journal of Medical Research*, 143(JUNE), 722-730. doi:10.4103/0971-5916.191931
 33. Batson, H. W., Brown Jr, L. S., Zaballero, A. R., Chu, A., & Alterman, A. I. (1993). Conflicting measurements of depression in a substance abuse population. *Journal of Substance Abuse*, 5(1), 93-100.
 34. Baumeister, S. E., Gelberg, L., Leake, B. D., Yacenda-Murphy, J., Vahidi, M., & Andersen, R. M. (2014). Effect of a primary care based brief intervention trial among risky drug users on health-related quality of life. *Drug & Alcohol Dependence*, 142, 254-261. doi:10.1016/j.drugalcdep.2014.06.034
 35. Beatty, J. R., Chase, S. K., & Ondersma, S. J. (2014). A randomized study of the effect of anonymity, quasi-anonymity, and Certificates of Confidentiality on

- postpartum women's disclosure of sensitive information. *Drug and Alcohol Dependence*, 134, 280-284.
doi:http://dx.doi.org/10.1016/j.drugalcdep.2013.10.016
36. Beaudoin, F. L., Baird, J., Liu, T., & Merchant, R. C. (2015). Sex Differences in Substance Use Among Adult Emergency Department Patients: Prevalence, Severity, and Need for Intervention. *Academic Emergency Medicine*, 22(11), 1307-1315. doi:http://dx.doi.org/10.1111/acem.12810
 37. Bengtson, A. M., Pence, B. W., Crane, H. M., Christopoulos, K., Fredericksen, R. J., Gaynes, B. N., Heine, A., Mathews, W. C., Moore, R., Napravnik, S., Safren, S., & Mugavero, M. J. (2016). Disparities in Depressive Symptoms and Antidepressant Treatment by Gender and Race/Ethnicity among People Living with HIV in the United States. *PLoS ONE*, 11(8), e0160738. doi:10.1371/journal.pone.0160738
 38. Best, D. W., Wilson, A. S., MacLean, S., Savic, M., Reed, M., Bruun, A., & Lubman, D. I. (2013). Patterns of family conflict and their impact on substance use and psychosocial outcomes in a sample of young people in treatment. *Vulnerable Children and Youth Studies*, 9(2), 114-122. doi:10.1080/17450128.2013.855858
 39. Biseul, I., Icick, R., Seguin, P., Bellivier, F., & Scott, J. (2016). Feasibility and Acceptability of the 'HABIT' Group Programme for Comorbid Bipolar and Alcohol and Substance use Disorders. *Clinical Psychology & Psychotherapy*, n/a-n/a. doi:10.1002/cpp.2053
 40. Bodenmann, P., Baggio, S., Iglesias, K., Althaus, F., Velonaki, V.-S., Stucki, S., Ansermet, C., Paroz, S., Trueb, L., Hugli, O., Griffin, J. L., & Daepfen, J.-B. (2015). Characterizing the vulnerability of frequent emergency department users by applying a conceptual framework: a controlled, cross-sectional study. *International Journal for Equity in Health*, 14(1), 146. doi:10.1186/s12939-015-0277-5
 41. Boerngen-Lacerda, R., Zottis, C. R., Zibe-Piegel, V. P., & Brandao Barleta, C. M. (2013). Early risky drug use detection in primary healthcare: how does it work in the real world? *Substance Use & Misuse*, 48(1-2), 147-156. doi:10.3109/10826084.2012.740128
 42. Bogenschutz, M. P., Donovan, D. M., Adinoff, B., Crandall, C., Forcehimes, A. A., Lindblad, R., Mandler, R. N., Oden, N. L., Perl, H. I., & Walker, R. (2011). Design of NIDA CTN Protocol 0047: Screening, Motivational Assessment, Referral, and Treatment in Emergency Departments (SMART-ED). *The American Journal of Drug and Alcohol Abuse*, 37(5), 417-425. doi:10.3109/00952990.2011.596971
 43. Bogenschutz, M. P., Donovan, D. M., Mandler, R. N., & et al. (2014). Brief intervention for patients with problematic drug use presenting in emergency departments: A randomized clinical trial. *JAMA Internal Medicine*, 174(11), 1736-1745. doi:10.1001/jamainternmed.2014.4052
 44. Bogenschutz, M. P., Donovan, D. M., Mandler, R. N., Perl, H. I., Forcehimes, A. A., Crandall, C., Lindblad, R., Oden, N. L., Sharma, G., Metsch, L., Lyons, M. S., McCormack, R., Konstantopoulos, W. M., & Douaihy, A. (2014). Brief Intervention

- for Drug Users Presenting in Emergency Departments (NIDA CTN Protocol 0047: SMART-ED). *JAMA Internal Medicine*, 174(11), 1736-1745.
doi:10.1001/jamainternmed.2014.4052
45. Bohnert, K. M., Walton, M. A., Ranney, M., Bonar, E. E., Blow, F. C., Zimmerman, M. A., Booth, B. M., & Cunningham, R. M. (2015). Understanding the service needs of assault-injured, drug-using youth presenting for care in an urban Emergency Department. *Addictive Behaviors*, 41, 97-105.
doi:http://dx.doi.org/10.1016/j.addbeh.2014.09.019
 46. Bonar, E. E., Cunningham, R. M., Chermack, S. T., Blow, F. C., Barry, K. L., Booth, B. M., & Walton, M. A. (2014). Prescription Drug Misuse and Sexual Risk Behaviors Among Adolescents and Emerging Adults. *Journal of Studies on Alcohol and Drugs*, 75(2), 259-268. doi:10.15288/jsad.2014.75.259
 47. Bonar, E. E., Cunningham, R. M., Polshkova, S., Chermack, S. T., Blow, F. C., & Walton, M. A. (2015). Alcohol and energy drink use among adolescents seeking emergency department care. *Addictive Behaviors*, 43, 11-17.
doi:http://dx.doi.org/10.1016/j.addbeh.2014.11.023
 48. Bonar, E. E., Walton, M. A., Caldwell, M. T., Whiteside, L. K., Barry, K. L., & Cunningham, R. M. (2015). Sexually Transmitted Infection History among Adolescents Presenting to the Emergency Department. *The Journal of Emergency Medicine*, 49(5), 613-622.
doi:http://dx.doi.org/10.1016/j.jemermed.2015.02.017
 49. Bonar, E. E., Walton, M. A., Cunningham, R. M., Chermack, S. T., Bohnert, A. S. B., Barry, K. L., Booth, B. M., & Blow, F. C. (2014). Computer-enhanced interventions for drug use and HIV risk in the emergency room: Preliminary results on psychological precursors of behavior change. *Journal of Substance Abuse Treatment*, 46(1), 5-14. doi:http://dx.doi.org/10.1016/j.jsat.2013.08.005
 50. Bonar, E. E., Walton, M. A., Epstein-Ngo, Q. M., Zimmerman, M. A., Blow, F. C., & Cunningham, R. M. (2016). Two-Year Trajectories of Sexual Risk Behaviors Among Drug-Using Adolescents and Emerging Adults in an Urban Community. *AIDS and Behavior*, 1-10. doi:10.1007/s10461-016-1570-z
 51. Bonar, E. E., Whiteside, L. K., Walton, M. A., Zimmerman, M. A., Booth, B. M., Blow, F. C., & Cunningham, R. (2014). Prevalence and correlates of HIV risk among adolescents and young adults reporting drug use: Data from an urban Emergency Department in the U.S. *Journal of HIV/AIDS & social services*, 28(2), 625-630.
 52. Bonar, E. E., Whiteside, L. K., Walton, M. A., Zimmerman, M. A., Booth, B. M., Blow, F. C., & Cunningham, R. (2016). Prevalence and correlates of HIV risk among adolescents and young adults reporting drug use: Data from an urban emergency department in the United States. *Journal of HIV/AIDS & social services*, 15(1), 3-28. doi:10.1080/15381501.2013.775685
 53. Bone, C., Gelberg, L., Vahidi, M., Leake, B., Yacenda-Murphy, J., & Andersen, R. M. (2016). Under-reporting of Risky Drug Use Among Primary Care Patients in Federally Qualified Health Centers. *Journal of Addiction Medicine*, 10(6), 387-394. doi:10.1097/adm.0000000000000246

54. Braciszewski, J. M., & Colby, S. M. (2015). Tobacco use among foster youth: Evidence of health disparities. *Children and Youth Services Review, 58*, 142-145. doi:<http://dx.doi.org/10.1016/j.childyouth.2015.09.017>
55. Brady, K. T., Killeen, T., Saladin, M. E., Dansky, B., & Becker, S. (1994). Comorbid Substance-Abuse and Posttraumatic-Stress-Disorder - Characteristics of Women in Treatment. *American Journal on Addictions, 3*(2), 160-164.
56. Broderick, K. B., Richmond, M. K., Fagan, J., & Long, A. W. (2015). Pilot Validation of a Brief Screen Tool for Substance Use Detection in Emergency Care. *Journal of Emergency Medicine, 49*(3), 369-374. doi:<http://dx.doi.org/10.1016/j.jemermed.2015.03.011>
57. Broers, B., Humair, J. P., Haaz, S., Varelzsis, B., & Gache, P. (2007). Detecting psycho-active substance abuse: why, how and what for? *Revue Medicale Suisse, 3*(126), 2157-2161.
58. Brown, R. L., Moberg, D. P., Allen, J. B., Peterson, C. T., Saunders, L. A., Croyle, M. D., Lecoanet, R. M., Linnan, S. M., Breidenbach, K., & Caldwell, S. B. (2014). A Team Approach to Systematic Behavioral Screening and Intervention. *The American journal of managed care, 20*(4), e113-e121.
59. Brown, R. T., Goodman, L., Guzman, D., Tieu, L., Ponath, C., & Kushel, M. B. (2016). Pathways to Homelessness among Older Homeless Adults: Results from the HOPE HOME Study. *PLoS ONE, 11*(5), e0155065. doi:10.1371/journal.pone.0155065
60. Budman, S. H., Portnoy, D., & Villapiano, A. J. (2003). How to get technological innovation used in behavioral health care: Build it and they still might not come. *Psychotherapy, 40*(1-2), 45-54.
61. Butler, S. F., Redondo, J. P., Fernandez, K. C., & Villapiano, A. (2009). Validation of the Spanish Addiction Severity Index Multimedia Version (S-ASI-MV). *Drug and Alcohol Dependence, 99*(1-3), 18-27.
62. Calsyn, D. A., Saxon, A. J., Bush, K. R., Howell, D. N., Baer, J. S., Sloan, K. L., Malte, C. A., & Kivlahan, D. R. (2004). The Addiction Severity Index medical and psychiatric composite scores measure similar domains as the SF-36 in substance-dependent veterans: Concurrent and discriminant validity. *Drug and Alcohol Dependence, 76*(2), 165-171.
63. Camargo da Rosa, M. A., Assis Gomes, C. M., Sica da Rocha, N., Paim Kessle, F. H., Blauth de Slavutzky, S. M., Ferreira e Ferreira, E., & Pechansky, F. (2013). Modulo de dependencia do MINI plus adaptado para dependencia de acucar: propriedades psicometricas. *Psicologia: Reflexao & Critica, 26*, 77+.
64. Cardoso Tde, A., Mondin, T. C., Souza, L. D., da Silva, R. A., Magalhaes, P. V., Kapczynski, F., & Jansen, K. (2015). Functioning in bipolar disorder with substance abuse/dependence in a community sample of young adults. *Journal of Affective Disorders, 187*, 179-182. doi:<http://dx.doi.org/10.1016/j.jad.2015.08.046>
65. Carey, K. B., Carey, M. P., & Chandra, P. S. (2003). Psychometric evaluation of the alcohol use disorders identification test and short drug abuse screening test with psychiatric patients in India. *Journal of Clinical Psychiatry, 64*(7), 767-774.
66. Carrico, A. W., Flentje, A., Gruber, V. A., Woods, W. J., Discepola, M. V.,

- Dilworth, S. E., Neilands, T. B., Jain, J., & Siever, M. D. (2014). Community-based harm reduction substance abuse treatment with methamphetamine-using men who have sex with men. *Journal of urban health : bulletin of the New York Academy of Medicine*, *91*(3), 555-567.
67. Carrico, A. W., Nil, E., Sophal, C., Stein, E., Sokunny, M., Yuthea, N., Evans, J. L., Ngak, S., Maher, L., & Page, K. (2016). Behavioral interventions for Cambodian female entertainment and sex workers who use amphetamine-type stimulants. *Journal of behavioral medicine*, *39*(3), 502-510. doi:10.1007/s10865-016-9713-2
68. Carter, P. M., Walton, M. A., Roehler, D. R., Goldstick, J., Zimmerman, M. A., Blow, F. C., & Cunningham, R. M. (2015). Firearm Violence Among High-Risk Emergency Department Youth After an Assault Injury. *Pediatrics*, *135*(5), 805-815. doi:10.1542/peds.2014-3572
69. Cartwright, J., & Asbridge, M. (2011). Passengers' Decisions to Ride With a Driver Under the Influence of Either Alcohol or Cannabis. *Journal of Studies on Alcohol and Drugs*, *72*(1), 86-95. doi:10.15288/jsad.2011.72.86
70. Casajuana, C., López-Pelayo, H., Balcells, M. M., Miquel, L., Colom, J., & Gual, A. (2016). Definitions of Risky and Problematic Cannabis Use: A Systematic Review. *Substance Use & Misuse*, *51*(13), 1760-1770. doi:10.1080/10826084.2016.1197266
71. Castro-Fornieles, J., Díaz, R., Goti, J., Calvo, R., Gonzalez, L., Serrano, L., & Gual, A. (2010). Prevalence and factors related to substance use among adolescents with eating disorders. *European Addiction Research*, *16*(2), 61-68.
72. Cerutti, F., Ramos, S. d. P., & Argimon, I. I. d. L. (2015). A IMPLICAÇÃO DAS ATITUDES PARENTAIS NO USO DE DROGAS NA ADOLESCÊNCIA. *Acta Colombiana de Psicología*, *18*, 173-181.
73. Chezian, C., Murthy, S., Prasad, S., Kasav, J. B., Mohan, S. K., Sharma, S., Singh, A. K., & Joshi, A. (2015). Exploring Factors that Influence Smoking Initiation and Cessation among Current Smokers. *Journal of Clinical and Diagnostic Research : JCDR*, *9*(5), LC08-LC12. doi:10.7860/JCDR/2015/12047.5917
74. Chisolm, M. S., Tuten, M., Strain, E. C., & Jones, H. E. (2009). Screening for mood disorder in pregnant substance-dependent patients. *Addictive Disorders and their Treatment*, *8*(2), 88-98.
75. Choo, E. K., Ranney, M. L., Wong, Z., & Mello, M. J. (2012). Attitudes toward technology-based health information among adult emergency department patients with drug or alcohol misuse. *Journal of Substance Abuse Treatment*, *43*(4), 397-401. doi:http://dx.doi.org/10.1016/j.jsat.2012.09.005
76. Chow, C., Vallance, K., Stockwell, T., Macdonald, S., Martin, G., Ivsins, A., Marsh, D. C., Michelow, W., Roth, E., & Duff, C. (2013). Sexual identity and drug use harm among high-risk, active substance users. *Culture, Health & Sexuality*, *15*(3), 311-326. doi:10.1080/13691058.2012.754054
77. Christoff Ade, O., & Boerngen-Lacerda, R. (2015). Reducing substance involvement in college students: a three-arm parallel-group randomized

- controlled trial of a computer-based intervention. *Addictive Behaviors*, 45, 164-171. doi:http://dx.doi.org/10.1016/j.addbeh.2015.01.019
78. Christoff, A. d. O., & Boerngen-Lacerda, R. (2015). Reducing substance involvement in college students: A three-arm parallel-group randomized controlled trial of a computer-based intervention. *Addictive Behaviors*, 45, 164-171. doi:http://dx.doi.org/10.1016/j.addbeh.2015.01.019
79. Christoff, A. O., Barreto, H. G. A., & Boerngen-Lacerda, R. (2016). Development of a Computer-Based Format for the Alcohol, Smoking, and Substance Involvement Screening Test (ASSIST) With University Students. *Substance Use & Misuse*, 51(9), 1207-1217. doi:10.3109/10826084.2016.1161053
80. Ciraulo, D. A., Sarid-Segal, O., Knapp, C. M., Ciraulo, A. M., Locastro, J., Bloch, D. A., Montgomery, M. A., Leiderman, D. B., & Elkashef, A. (2005). Efficacy screening trials of paroxetine, pentoxifylline, riluzole, pramipexole and venlafaxine in cocaine dependence. *Addiction*, 100(SUPPL. 1), 12-22.
81. Clark, J. M., Cao, Y., & Krause, J. S. (2017). Risk of Pain Medication Misuse After Spinal Cord Injury: The Role of Substance Use, Personality, and Depression. *J Pain*, 18(2), 166-177. doi:10.1016/j.jpain.2016.10.011
82. Corrarino, J. E., Williams, C., Campbell 3rd, W. S., Amrhein, E., LoPiano, L., & Kalachik, D. (2000). Linking substance-abusing pregnant women to drug treatment services: a pilot program. *Journal of obstetric, gynecologic, and neonatal nursing : JOGNN / NAACOG*, 29(4), 369-376.
83. Csiernik, R., Forchuk, C., Buccieri, K., Richardson, J., Rudnick, A., Warner, L., & Wright, A. (2016). Substance Use of Homeless and Precariously Housed Youth in a Canadian Context. *International Journal of Mental Health and Addiction*, 1-15. doi:10.1007/s11469-016-9656-4
84. Cucciare, M. A., Weingardt, K. R., Valencia-Garcia, D., & Ghaus, S. (2015). Post-traumatic stress disorder and illicit drug use in veterans presenting to primary care with alcohol misuse. *Addiction Research & Theory*, 23(4), 287-293. doi:10.3109/16066359.2014.984700
85. Cunningham, R. M., Carter, P. M., Ranney, M., & et al. (2015). Violent reinjury and mortality among youth seeking emergency department care for assault-related injury: A 2-year prospective cohort study. *JAMA Pediatrics*, 169(1), 63-70. doi:10.1001/jamapediatrics.2014.1900
86. Cunningham, R. M., Ranney, M., Newton, M., Woodhull, W., Zimmerman, M., & Walton, M. A. (2014). Characteristics of Youth Seeking Emergency Care for Assault Injuries. *Pediatrics*, 133(1), e96.
87. Cutcher, Z., Degenhardt, L., Alati, R., & Kinner, S. A. (2014). Poor health and social outcomes for ex-prisoners with a history of mental disorder: a longitudinal study. *Australian and New Zealand Journal of Public Health*, 38(5), 424-429. doi:10.1111/1753-6405.12207
88. Daepfen, J. B., Burnand, B., Schnyder, C., Bonjour, M., Pecoud, A., & Yersin, B. (1996). Validation of the Addiction Severity Index in French-speaking alcoholic patients. *Journal of Studies on Alcohol & Drugs*, 57(6), 585-590.
89. Daigre, C., Ramos-Quiroga, J. A., Valero, S., Bosch, R., Roncero, C., Gonzalvo,

- B., Nogueira, M., & Casas, M. (2009). Adult ADHD self-report scale (ASRS-V1.1) symptom checklist in patients with substance use disorders. *Actas Espanolas de Psiquiatria*, 37(6), 299-305.
90. Dalbudak, E., Evren, C., Aldemir, S., & Evren, B. (2015). Psychometric properties of the CAGE questionnaire assessment for problematic internet use among university students. *Klinik Psikofarmakoloji Bulteni*, 25, S72-S73.
91. Dannatt, L., Cloete, K. J., Kidd, M., & Weich, L. (2014). Frequency and correlates of comorbid psychiatric illness in patients with heroin use disorder admitted to Stikland Opioid Detoxification Unit, South Africa. *South African Journal of Psychiatry*, 20, 77-82.
92. Darker, C. D., Sweeney, B., Keenan, E., Whiston, L., Anderson, R., & Barry, J. (2016). Screening and Brief Interventions for Illicit Drug Use and Alcohol Use in Methadone Maintained Opiate-Dependent Patients: Results of a Pilot Cluster Randomized Controlled Trial Feasibility Study. *Substance Use & Misuse*, 51(9), 1104-1115. doi:10.3109/10826084.2016.1160118
93. Davis, C. G., Thomas, G., Jesseman, R., & Mazan, R. (2009). Drawing the line on risky use of cannabis: Assessing problematic use with the ASSIST. *Addiction Research & Theory*, 17(3), 322-332. doi:10.1080/16066350802334587
94. Dawson-Rose, C., Draughon, J. E., Zepf, R., Cuca, Y. P., Huang, E., Freeborn, K., & Lum, P. J. (2017). Prevalence of Substance Use in an HIV Primary Care Safety Net Clinic: A Call for Screening. *J Assoc Nurses AIDS Care*, 28(2), 238-249. doi:10.1016/j.jana.2015.12.001
95. De Chazeron, I., Durif, F., Chereau-Boudet, I., Perriot, J., Ouchchane, L., & Llorca, P. M. (2010). More addict because parkinsonian? *European Psychiatry*, 25.
96. Dewost, A. V., Michaud, P., Arfaoui, S., Gache, P., & Lancrenon, S. (2006). Fast alcohol consumption evaluation: A screening instrument adapted for French general practitioners. *Alcoholism: Clinical and Experimental Research*, 30(11), 1889-1895.
97. Dixon, L., Myers, P., Johnson, J., & Corty, E. (1996). Screening for mental illness with the addiction severity index. *American Journal on Addictions*, 5(4), 301-307.
98. Dom, G., Raes, V., De Wilde, B., & Van Den Brink, W. (2004). Instruments for measuring addictive disorders. *Tijdschrift voor Psychiatrie*, 46(10), 671-674.
99. Donald, K. A., Fouche, J. P., Roos, A., Koen, N., Howells, F. M., Riley, E. P., Woods, R. P., Zar, H. J., Narr, K. L., & Stein, D. J. (2016). Alcohol exposure in utero is associated with decreased gray matter volume in neonates. *Metabolic Brain Disease*, 31(1), 81-91. doi:10.1007/s11011-015-9771-0
100. Donald, K. A., Ipser, J. C., Howells, F. M., Roos, A., Fouche, J.-P., Riley, E. P., Koen, N., Woods, R. P., Biswal, B., Zar, H. J., Narr, K. L., & Stein, D. J. (2016). Interhemispheric Functional Brain Connectivity in Neonates with Prenatal Alcohol Exposure: Preliminary Findings. *Alcoholism: Clinical and Experimental Research*, 40(1), 113-121. doi:10.1111/acer.12930
101. Donald, K. A., Roos, A., Fouche, J.-P., Koen, N., Howells, F. M., Woods, R. P., Zar, H. J., Narr, K. L., & Stein, D. J. (2015). A study of the effects of prenatal

- alcohol exposure on white matter microstructural integrity at birth. *Acta Neuropsychiatrica*, 27(4), 197-205. doi:10.1017/neu.2015.35
102. Donovan, D. M., Bogenschutz, M. P., Perl, H., Forcehimes, A., Adinoff, B., Mandler, R., Oden, N., & Walker, R. (2012). Study design to examine the potential role of assessment reactivity in the Screening, Motivational Assessment, Referral, and Treatment in Emergency Departments (SMART-ED) protocol. *Addiction Science & Clinical Practice*, 7(1), 16. doi:10.1186/1940-0640-7-16
 103. Donovan, D. M., Hatch-Maillette, M. A., Phares, M. M., McGarry, E., Michelle Peavy, K., & Taborsky, J. (2015). Lessons learned for follow-up phone booster counseling calls with substance abusing emergency department patients. *Journal of Substance Abuse Treatment*, 50, 67-75. doi:http://dx.doi.org/10.1016/j.jsat.2014.10.013
 104. Draper, B., Ridley, N., Johnco, C., Withall, A., Sim, W., Freeman, M., Contini, E., & Lintzeris, N. (2015). Screening for alcohol and substance use for older people in geriatric hospital and community health settings. *International Psychogeriatrics*, 27(1), 157-166. doi:http://dx.doi.org/10.1017/S1041610214002014
 105. Durbeej, N., Berman, A. H., Gumpert, C. H., Palmstierna, T., Kristiansson, M., & Alm, C. (2010). Validation of the Alcohol Use Disorders Identification Test and the Drug Use Disorders Identification Test in a Swedish sample of suspected offenders with signs of mental health problems: Results from the Mental Disorder, Substance Abuse and Crime study. *Journal of Substance Abuse Treatment*, 39(4), 364-377.
 106. Dwyer, R., & Fraser, S. (2016). Making addictions in standardised screening and diagnostic tools. *Health Sociology Review*, 25(3), 223-239. doi:10.1080/14461242.2016.1184581
 107. Eaton, E. F., Tamhane, A. R., Burkholder, G. A., Willig, J. H., Saag, M. S., & Mugavero, M. J. (2016). Unanticipated Effects of New Drug Availability on Antiretroviral Durability: Implications for Comparative Effectiveness Research. *Open Forum Infect Dis*, 3(2), ofw109. doi:10.1093/ofid/ofw109
 108. Eland-Goossensen, A., van de Goor, I., Garretsen, H., & Schudel, J. (1997). Screening for psychopathology in the clinical practice. *Journal of Substance Abuse Treatment*, 14(6), 585-591.
 109. Elster, A., Ryan, S., & Camenga, D. (2013). Working to prevent health hazards of tobacco use the dual roles of health professionals: Advocating for policy change and providing screening and intervention through brief negotiated interview. *Turk Pediatri Arsivi*, 48, 12.
 110. Englander, H., Klug, C. V., Solotaroff, R., Weimer, M. B., Noice, A., Hartnett, T., Blackburn, E., Nicolaidis, C., Barnes, P., Bielavitz, S., Chan, B., Michalczyk, C., & Korthuis, P. T. (2016). Understanding needs and engaging community partners to develop a hospital-based improving addiction care team (IMPACT). *Journal of General Internal Medicine*, 31(2), S446-S447.
 111. Englander, H., Velez Klug, C., Bielavitz, S., Chan, B., Weimer, M. B., & Korthuis,

- P. T. (2015). Understanding substance use needs among hospitalized adults. *Journal of General Internal Medicine*, 30, S292.
112. Epstein-Ngo, Q. M., Walton, M. A., Chermack, S. T., Blow, F. C., Zimmerman, M. A., & Cunningham, R. M. (2014). Event-level analysis of antecedents for youth violence: Comparison of dating violence with non-dating violence. *Addictive Behaviors*, 39(1), 350-353. doi:http://dx.doi.org/10.1016/j.addbeh.2013.10.015
113. Faller, S., Peuker, A. C., Sordi, A., Stolf, A., Souza-Formigoni, M. L., Cruz, M. S., Brasiliano, S., Pechansky, F., & Kessler, F. (2014). Who seeks public treatment for substance abuse in Brazil? Results of a multicenter study involving four Brazilian state capitals. *Trends in Psychiatry and Psychotherapy*, 36(4), 193-202. doi:http://dx.doi.org/10.1590/2237-6089-2014-0040
114. Fann, J. R., Bombardier, C. H., Richards, J., & et al. (2015). Venlafaxine extended-release for depression following spinal cord injury: A randomized clinical trial. *JAMA Psychiatry*, 72(3), 247-258. doi:10.1001/jamapsychiatry.2014.2482
115. Fernandes, L. R., Colugnati, F. A. B., & Sartes, L. M. A. (2015). Development and evaluation of psychometric properties of the Brazilian version of Addiction Severity Index 6 (ASI-6) Light. *Jornal Brasileiro de Psiquiatria*, 64(2), 132-139.
116. Fernández, M. I., Huszti, H. C., Wilson, P. A., Kahana, S., Nichols, S., Gonin, R., Xu, J., & Kapogiannis, B. G. (2015). Profiles of Risk Among HIV-Infected Youth in Clinic Settings. *AIDS and Behavior*, 19(5), 918-930. doi:10.1007/s10461-014-0876-y
117. Fidalgo, T. M., Tarter, R., Da Silveira, E. D., Kirisci, L., & Da Silveira, D. X. (2010). Validation of a short version of the revised drug use screening inventory in a brazilian sample of adolescents. *American Journal on Addictions*, 19(4), 364-367.
118. Field, C. A., Cochran, G., Caetano, R., Foreman, M., & Brown, C. V. R. (2014). Postdischarge nonmedical use of prescription opioids in at-risk drinkers admitted to urban Level I trauma centers. *Journal of Trauma and Acute Care Surgery*, 76(3), 833-839. doi:10.1097/ta.0000000000000100
119. Filho, P. M., Jorge, K. O., Paiva, P. C., Ferreira, E. F., Ramos-Jorge, M. L., & Zarzar, P. M. (2014). The prevalence of dental trauma and its association with illicit drug use among adolescents. *Dental Traumatology*, 30(2), 122-127. doi:http://dx.doi.org/10.1111/edt.12059
120. Fleming, M. F., Davis, J., & Passik, S. D. (2008). Reported lifetime aberrant drug-taking behaviors are predictive of current substance use and mental health problems in primary care patients. *Pain Medicine*, 9(8), 1098-1106.
121. Ford, J. D., Chang, R., Levine, J., & Zhang, W. (2013). Randomized Clinical Trial Comparing Affect Regulation and Supportive Group Therapies for Victimization-Related PTSD With Incarcerated Women. *Behavior Therapy*, 44(2), 262-276. doi:http://dx.doi.org/10.1016/j.beth.2012.10.003
122. Formiga, M. B., Vasconcelos, S. C., Galdino, M. K. C., & Lima, M. D. C. (2015). Presence of dual diagnosis between users and non-users of licit and illicit drugs in Brazil. *Jornal Brasileiro de Psiquiatria*, 64(4), 288-295.

123. Foxcroft, D. R., Coombes, L., Wood, S., Allen, D., Almeida Santimano, N. M. L., & Moreira, M. T. (2016). Motivational interviewing for the prevention of alcohol misuse in young adults. *Cochrane Database of Systematic Reviews*(7). doi:10.1002/14651858.CD007025.pub4
124. Franken, I. H. A., & Hendriks, V. M. (2001). Screening and diagnosis of anxiety and mood disorders in substance abuse patients. *American Journal on Addictions, 10*(1), 30-39.
125. Fuscaldo, L. V., Bisol, L. W., & Lara, D. R. (2013). How emotional traits and affective temperaments relate to cocaine experimentation, abuse and dependence in a large sample. *Addictive Behaviors, 38*(3), 1859-1864.
126. Fuster, D., Cheng, D. M., Wang, N., Bernstein, J. A., Palfai, T. P., Alford, D. P., Samet, J. H., & Saitz, R. (2016). Brief intervention for daily marijuana users identified by screening in primary care: A subgroup analysis of the ASPIRE randomized clinical trial. *Substance Abuse, 37*(2), 336-342. doi:10.1080/08897077.2015.1075932
127. Gache, P., Michaud, P., Landry, U., Accietto, C., Arfaoui, S., Wenger, O., & Daepfen, J. B. (2005). The alcohol use disorders identification test (AUDIT) as a screening tool for excessive drinking in primary care: Reliability and validity of a french version. *Alcoholism: Clinical and Experimental Research, 29*(11), 2001-2007.
128. Gavioli, A., Mathias, T. A. d. F., Rossi, R. M., & Oliveira, M. L. F. d. (2014). Risks related to drug use among male construction workers. *Acta Paulista de Enfermagem, 27*, 471-478.
129. Gehue, L. J., Scott, E., Hermens, D. F., Scott, J., & Hickie, I. (2015). Youth Early-intervention Study (YES) – group interventions targeting social participation and physical well-being as an adjunct to treatment as usual: study protocol for a randomized controlled trial. *Trials, 16*(1), 333. doi:10.1186/s13063-015-0834-7
130. Gelberg, L., Andersen, R. M., Afifi, A. A., Leake, B. D., Arangua, L., Vahidi, M., Singleton, K., Yacenda-Murphy, J., Shoptaw, S., Fleming, M. F., & Baumeister, S. E. (2015). Project QUIT (Quit Using Drugs Intervention Trial): a randomized controlled trial of a primary care-based multi-component brief intervention to reduce risky drug use. *Addiction, 110*(11), 1777-1790. doi:10.1111/add.12993
131. Ghitza, U. E., Epstein, D. H., & Preston, K. L. (2008). Self-report of illicit benzodiazepine use on the Addiction Severity Index predicts treatment outcome. *Drug and Alcohol Dependence, 97*(1-2), 150-157.
132. Gil, R., Sohler, N. L., Brisbane, M., Llanos, G. O., & Cunningham, C. O. (2011). Screening, brief intervention and referral to treatment (SBIRT) for opioid abuse in an Urban hospitalized population: A pilot study. *Journal of General Internal Medicine, 26*, S198-S199.
133. Giudice, E. L., Lewin, L. O., Welsh, C., Crouch, T. B., Wright, K. S., Delahanty, J., & DiClemente, C. C. (2015). Online Versus In-Person Screening, Brief Intervention, and Referral to Treatment Training in Pediatrics Residents. *J Grad Med Educ, 7*(1), 53-58. doi:10.4300/jgme-d-14-00367.1
134. Glozier, N., O'Dea, B., McGorry, P. D., Pantelis, C., Amminger, G. P., Hermens,

- D. F., Purcell, R., Scott, E., & Hickie, I. B. (2014). Delayed sleep onset in depressed young people. *BMC Psychiatry*, *14*(1), 33. doi:10.1186/1471-244X-14-33
135. Goldstick, J. E., Lipton, R. I., Carter, P., Stoddard, S. A., Newton, M. F., Reischl, T., Walton, M., Zimmerman, M. A., & Cunningham, R. M. (2015). The Effect of Neighborhood Context on the Relationship Between Substance Misuse and Weapons Aggression in Urban Adolescents Seeking ED Care. *Substance Use & Misuse*, *50*(5), 674-684. doi:10.3109/10826084.2014.998235
136. Goldstick, J. E., Stoddard, S. A., Carter, P. M., Zimmerman, M. A., Walton, M. A., & Cunningham, R. M. (2016). Characteristic substance misuse profiles among youth entering an urban emergency department: neighborhood correlates and behavioral comorbidities. *Am J Drug Alcohol Abuse*, *42*(6), 671-681. doi:10.1080/00952990.2016.1174707
137. Gonzalez-Blanch, C., Gleeson, J. F., Cotton, S. M., Crisp, K., McGorry, P. D., & Alvarez-Jimenez, M. (2015). Longitudinal relationship between expressed emotion and cannabis misuse in young people with first-episode psychosis. *European Psychiatry: the Journal of the Association of European Psychiatrists*, *30*(1), 20-25. doi:http://dx.doi.org/10.1016/j.eurpsy.2014.07.002
138. Goodman, D. J., & Wolff, K. B. (2013). Screening for Substance Abuse in Women's Health: A Public Health Imperative. *Journal of Midwifery & Women's Health*, *58*(3), 278-287. doi:10.1111/jmwh.12035
139. Goodyear-Smith, F., Corter, A., & Suh, H. (2016). Electronic screening for lifestyle issues and mental health in youth: a community-based participatory research approach. *BMC Medical Informatics and Decision Making*, *16*(1), 140. doi:10.1186/s12911-016-0379-z
140. Gray, D. M., Turkovic, L., Willemse, L., Visagie, A., Vanker, A., Stein, D. J., Sly, P. D., Hall, G. L., & Zar, H. J. (2017). Lung Function in African Infants in the Drakenstein Child Health Study. Impact of Lower Respiratory Tract Illness. *Am J Respir Crit Care Med*, *195*(2), 212-220. doi:10.1164/rccm.201601-0188OC
141. Group, W. A. W. (2002). The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): development, reliability and feasibility. *Addiction*, *97*(9), 1183-1194.
142. Gryczynski, J., Kelly, S. M., Mitchell, S. G., Kirk, A., O'Grady, K. E., & Schwartz, R. P. (2015). Validation and performance of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) among adolescent primary care patients. *Addiction*, *110*(2), 240-247. doi:http://dx.doi.org/10.1111/add.12767
143. Gryczynski, J., Mitchell, S. G., Gonzales, A., Moseley, A., Peterson, T. R., Ondersma, S. J., O'Grady, K. E., & Schwartz, R. P. (2015). A randomized trial of computerized vs. in-person brief intervention for illicit drug use in primary care: outcomes through 12 months. *Journal of Substance Abuse Treatment*, *50*, 3-10. doi:http://dx.doi.org/10.1016/j.jsat.2014.09.002
144. Gryczynski, J., Mitchell, S. G., Ondersma, S. J., O'Grady, K. E., & Schwartz, R. P. (2015). Potential Radiating Effects of Misusing Substances Among Medical Patients Receiving Brief Intervention. *Journal of Substance Abuse Treatment*, *55*,

- 39-44. doi:<http://dx.doi.org/10.1016/j.jsat.2015.02.003>
145. Gryczynski, J., O'Grady, K. E., Mitchell, S. G., Ondersma, S. J., & Schwartz, R. P. (2016). Immediate Versus Delayed Computerized Brief Intervention for Illicit Drug Misuse. *Journal of Addiction Medicine, 10*(5), 344-351. doi:10.1097/adm.0000000000000248
146. Gryczynski, J., Schwartz, R. P., Mitchell, S. G., O'Grady, K. E., & Ondersma, S. J. (2014). Hair drug testing results and self-reported drug use among primary care patients with moderate-risk illicit drug use. *Drug and Alcohol Dependence, 141*, 44-50. doi:<http://dx.doi.org/10.1016/j.drugalcdep.2014.05.001>
147. Guan, W., Liu, T., Baird, J. R., & Merchant, R. C. (2015). Evaluation of a brief intervention to reduce the negative consequences of drug misuse among adult emergency department patients. *Drug and Alcohol Dependence, 157*, 44-53. doi:<http://dx.doi.org/10.1016/j.drugalcdep.2015.10.007>
148. Hagemaster, J. (2000). Use of therapeutic touch in treatment of drug addictions. *Holistic nursing practice, 14*(3), 14-20.
149. Hankin, A., Daugherty, M., Bethea, A., & Haley, L. (2013). The Emergency Department as a prevention site: a demographic analysis of substance use among ED patients. *Drug & Alcohol Dependence, 130*(1-3), 230-233. doi:<http://dx.doi.org/10.1016/j.drugalcdep.2012.10.027>
150. Harris, S. K., Knight, J. J. R., Van Hook, S., Sherritt, L., L. Brooks, T., Kulig, J. W., A. Nordt, C., & Saitz, R. (2016). Adolescent substance use screening in primary care: Validity of computer self-administered versus clinician-administered screening. *Substance Abuse, 37*(1), 197-203. doi:10.1080/08897077.2015.1014615
151. Harris, S. K., Louis-Jacques, J., & Knight, J. R. (2014). Screening and brief intervention for alcohol and other abuse. *Adolescent Medicine, 25*(1), 126-156.
152. Hartzler, B., Dombrowski, J. C., Crane, H. M., Eron, J. J., Geng, E. H., Christopher Mathews, W., Mayer, K. H., Moore, R. D., Mugavero, M. J., Napravnik, S., Rodriguez, B., & Donovan, D. M. (2016). Prevalence and Predictors of Substance Use Disorders Among HIV Care Enrollees in the United States. *AIDS and Behavior, 1-11*. doi:10.1007/s10461-016-1584-6
153. Helmer, S. M., Mikolajczyk, R. T., McAlaney, J., Vriesacker, B., Van Hal, G., Akvardar, Y., Guillen-Grima, F., Salonna, F., Stock, C., Dempsey, R. C., Bewick, B. M., & Zeeb, H. (2014). Illicit substance use among university students from seven European countries: A comparison of personal and perceived peer use and attitudes towards illicit substance use. *Preventive Medicine, 67*, 204-209. doi:<http://dx.doi.org/10.1016/j.ypmed.2014.07.039>
154. Helseth, V., Lykke-Enger, T., Aamo, T. O., & Johnsen, J. (2005). Drug screening among patients aged 17-40 admitted with psychosis. *Tidsskrift for den Norske Laegeforening, 125*(9), 1178-1180.
155. Henrique, I. F., De Micheli, D., Lacerda, R. B., Lacerda, L. A., & Formigoni, M. L. (2004). Validation of the Brazilian version of Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)]. *Revista Da Associacao Medica Brasileira, 50*(2), 199-206.

156. Hermens, D. F., Scott, E. M., White, D., Lynch, M., Lagopoulos, J., Whitwell, B. G., Naismith, S. L., & Hickie, I. B. (2013). Frequent alcohol, nicotine or cannabis use is common in young persons presenting for mental healthcare: a cross-sectional study. *BMJ Open*, *3*(2). doi:10.1136/bmjopen-2012-002229
157. Heslop, K., Ross, C., Osmond, B., & Wynaden, D. (2013). The Alcohol Smoking and Substance Involvement Screening Test (ASSIST) in an Acute Mental Health Setting. *International Journal of Mental Health and Addiction*, *11*(5), 583-600. doi:10.1007/s11469-013-9428-3
158. Heslop, K. R., Ross, C., Berkin, J., & Wynaden, D. (2015). Using the WHO ASSIST to Assess Drug and Alcohol Misuse in the Acute Mental Health Setting to Guide Treatment Interventions. *International Journal of Mental Health and Addiction*, *13*(5), 618-634. doi:10.1007/s11469-015-9548-z
159. Hides, L., Cotton, S. M., Berger, G., Gleeson, J., O'Donnell, C., Proffitt, T., McGorry, P. D., & Lubman, D. I. (2009). The reliability and validity of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in first-episode psychosis. *Addictive Behaviors*, *34*(10), 821-825. doi:http://dx.doi.org/10.1016/j.addbeh.2009.03.001
160. Holmwood, C., Marriott, M., & Humeniuk, R. (2008). Substance use patterns in newly admitted male and female South Australian prisoners using the WHO-ASSIST (Alcohol, Smoking and Substance Involvement Screening Test). *International journal of prison health.*, *4*(4), 198-207. doi:10.1080/17449200802473123
161. Holt, S. R., Ramos, J., Harma, M., Cabrera, F., Louis-Ashby, C., Dinh, A., Fiellin, D. A., & Tetrault, J. M. (2013). Physician detection of unhealthy substance use on inpatient teaching and hospitalist medical services. *Am J Drug Alcohol Abuse*, *39*(2), 121-129. doi:10.3109/00952990.2012.715703
162. Holt, S. R., Ramos, J., Harma, M. A., Cabrera, F., Louis-Ashby, C., Dinh, A., Tetrault, J. M., & Fiellin, D. A. (2012). Prevalence of Unhealthy Substance Use on Teaching and Hospitalist Medical Services: Implications for Education. *The American Journal on Addictions*, *21*(2), 111-119. doi:10.1111/j.1521-0391.2011.00207.x
163. Hotham, E., Ali, R., White, J., Sullivan, T., & Robinson, J. (2013). Investigation of the Alcohol, Smoking, and Substance Involvement Screening Test (the ASSIST) Version 3.0 in Pregnancy. *Addictive Disorders & Their Treatment*, *12*(3), 123-135. doi:10.1097/ADT.0b013e3182636904
164. Hotham, E., White, J., Ali, R., & Robinson, J. (2012). Screening for use of alcohol, tobacco and cannabis in pregnancy using self-report tools. *Journal of Developmental Origins of Health and Disease*, *3*(4), 216-223. doi:10.1017/S2040174412000372
165. Hotham, E. D., Ali, R. L., & White, J. M. (2016). Analysis of qualitative data from the investigation study in pregnancy of the ASSIST Version 3.0 (the Alcohol, Smoking and Substance Involvement Screening Test). *Midwifery*, *34*, 183-197. doi:10.1016/j.midw.2015.11.011
166. Humeniuk, R., Ali, R., Babor, T., Souza-Formigoni, M. L., de Lacerda, R. B., Ling,

- W., McRee, B., Newcombe, D., Pal, H., Poznyak, V., Simon, S., & Vendetti, J. (2012). A randomized controlled trial of a brief intervention for illicit drugs linked to the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in clients recruited from primary health-care settings in four countries. *Addiction*, *107*(5), 957-966. doi:http://dx.doi.org/10.1111/j.1360-0443.2011.03740.x
167. Humeniuk, R., Ali, R., Babor, T. F., Farrell, M., Formigoni, M. L., Jittiwutikarn, J., de Lacerda, R. B., Ling, W., Marsden, J., Monteiro, M., Nhwatiwa, S., Pal, H., Poznyak, V., & Simon, S. (2008). Validation of the Alcohol, Smoking And Substance Involvement Screening Test (ASSIST). *Addiction*, *103*(6), 1039-1047. doi:http://dx.doi.org/10.1111/j.1360-0443.2007.02114.x
168. Humeniuk, R., Holmwood, C., Beshara, M., & Kambala, A. (2016). ASSIST-Y V1.0: First-Stage Development of the WHO Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) and Linked Brief Intervention for Young People. *Journal of Child & Adolescent Substance Abuse*, *25*(4), 384-390. doi:10.1080/1067828x.2015.1049395
169. Jaisooriya, T. S., Beena, K. V., Beena, M., Ellangovan, K., Thennarassu, K., Bowden-Jones, H., Benegal, V., & George, S. (2016). Do High School Students in India Gamble? A Study of Problem Gambling and Its Correlates. *Journal of Gambling Studies*, 1-12. doi:10.1007/s10899-016-9651-5
170. Jaisooriya, T. S., Janardhan Reddy, Y. C., Thennarasu, K., Beena, K. V., Beena, M., & Jose, D. C. (2015). An epidemiological study of obsessive compulsive disorder in adolescents from India. *Comprehensive Psychiatry*, *61*, 106-114. doi:http://dx.doi.org/10.1016/j.comppsy.2015.05.003
171. Jaremko, K. M., Sterling, R. C., & Van Bockstaele, E. J. (2015). Psychological and physiological stress negatively impacts early engagement and retention of opioid-dependent individuals on methadone maintenance. *Journal of Substance Abuse Treatment*, *48*(1), 117-127.
172. Jiraniramai, S., Likhitsathian, S., Jiraporncharoen, W., Thaikla, K., Aramrattana, A., & Angkurawaranon, C. (2015). Risk-Minimizing Belief: Its Association with Smoking and Risk of Harm From Smoking in Northern Thailand. *J Ethn Subst Abuse*, *14*(4), 364-378. doi:10.1080/15332640.2014.991468
173. Jiraporncharoen, W., Likhitsathian, S., Lerssrimongkol, C., Jiraniramai, S., Siriluck, L., & Angkurawaranon, C. (2015). Sedative use: its association with harmful alcohol use, harmful tobacco use and quality of life among health care workers in Thailand. *Journal of Substance Use*, *21*(4), 414-422. doi:10.3109/14659891.2015.1042081
174. Johnson, J. A., Bembry, W., Peterson, J., Lee, A., & Seale, J. P. (2015). Validation of the ASSIST for Detecting Unhealthy Alcohol Use and Alcohol Use Disorders in Urgent Care Patients. *Alcoholism: Clinical & Experimental Research*, *39*(6), 1093-1099. doi:http://dx.doi.org/10.1111/acer.12733
175. Johnson, J. A., Dhaliwala, J., & Seale, J. P. (2012). Impact of a systems intervention on engagement in addiction treatment. *Alcoholism: Clinical and Experimental Research*, *36*, 167A.
176. Jorge, K. O., Oliveira Filho, P. M., Ferreira, E. F., Oliveira, A. C., Vale, M. P., &

- Zarzar, P. M. (2012). Prevalence and association of dental injuries with socioeconomic conditions and alcohol/drug use in adolescents between 15 and 19 years of age. *Dental Traumatology*, *28*(2), 136-141. doi:http://dx.doi.org/10.1111/j.1600-9657.2011.01056.x
177. Joseph, J., Das, K., Basu, D., & Sharma, S. (2016). Screening for harmful alcohol use with the alcohol, smoking, and substance involvement screening test in clients recruited from workplace settings of a Tertiary Care Hospital of North India. *Indian Journal of Social Psychiatry*, *32*(2), 164-166. doi:10.4103/0971-9962.181102
178. Kaiser, D. J., & Karuntzos, G. (2016). An Examination of the Workflow Processes of the Screening, Brief Intervention, and Referral to Treatment (SBIRT) Program in Health Care Settings. *Journal of Substance Abuse Treatment*, *60*, 21-26. doi:http://dx.doi.org/10.1016/j.jsat.2015.08.001
179. Kaminer, Y. (2008). The Teen Addiction Severity Index around the globe: the Tower of Babel revisited. *Substance Abuse*, *29*(3), 89-94. doi:10.1080/08897070802219230
180. Kane, J. C., Murray, L. K., Bass, J. K., Johnson, R. M., & Bolton, P. (2016). Validation of a substance and alcohol use assessment instrument among orphans and vulnerable children in Zambia using Audio Computer Assisted Self-Interviewing (ACASI). *Drug and Alcohol Dependence*, *166*, 85-92. doi:http://dx.doi.org/10.1016/j.drugalcdep.2016.06.026
181. Kessler, F., Cacciola, J., Alterman, A., Faller, S., Souza-Formigoni, M. L., Cruz, M. S., Brasiliano, S., & Pechansky, F. (2012). Psychometric properties of the sixth version of the addiction severity index (ASI-6) in Brazil. *Revista Brasileira de Psiquiatria*, *34*(1), 24-33.
182. Khan, R., Chatton, A., Nallet, A., Broers, B., Thorens, G., Achab-Arigo, S., Poznyak, V., Fleischmann, A., Khazaal, Y., & Zullino, D. (2011). Validation of the French version of the alcohol, smoking and substance involvement screening test (ASSIST). *European Addiction Research*, *17*(4), 190-197. doi:http://dx.doi.org/10.1159/000326073
183. Khan, R., Chatton, A., Thorens, G., Achab, S., Nallet, A., Broers, B., Calzada, G., Poznyak, V., Zullino, D., & Khazaal, Y. (2012). Validation of the French version of the alcohol, smoking and substance involvement screening test (ASSIST) in the elderly. *Substance Abuse Treatment, Prevention, & Policy*, *7*, 14. doi:http://dx.doi.org/10.1186/1747-597X-7-14
184. Khazaal, Y., Chatton, A., Monney, G., Nallet, A., Khan, R., Zullino, D., & Etter, J.-F. (2015). Internal consistency and measurement equivalence of the cannabis screening questions on the paper-and-pencil face-to-face ASSIST versus the online instrument. *Substance abuse treatment, prevention, and policy*, *10*(1), 8. doi:10.1186/s13011-015-0002-9
185. Kim, T. W., Saitz, R., Kretsch, N., Cruz, A., Winter, M. R., Shanahan, C. W., & Alford, D. P. (2013). Screening for Unhealthy Alcohol and Other Drug Use by Health Educators: Do Primary Care Clinicians Document Screening Results? *Journal of Addiction Medicine*, *7*(3), 204-209.

- doi:10.1097/ADM.0b013e31828da017
186. Kim, T. W., Samet, J. H., Cheng, D. M., Bernstein, J., Wang, N., German, J., & Saitz, R. (2015). The spectrum of unhealthy drug use and quality of care for hypertension and diabetes: a longitudinal cohort study. *BMJ Open*, *5*(12). doi:10.1136/bmjopen-2015-008508
 187. Kinner, S. A., Winter, R., & Saxton, K. (2015). A longitudinal study of health outcomes for people released from prison in Fiji: the HIP-Fiji project. *Australas Psychiatry*, *23*(6 Suppl), 17-21. doi:10.1177/1039856215608289
 188. Klimkiewicz, J., Barry, K. L., Cunningham, R., Walton, M., Klimkiewicz, A., Chermack, S., Booth, B., Massey, L., Snedecor, S., & Blow, F. C. (2011). Use of medical services and medical complications among inner city emergency department patients with alcohol and/or drug use. *Alcoholism: Clinical and Experimental Research*, *35*, 221A.
 189. Koen, N., Wyatt, G. E., Williams, J. K., Zhang, M., Myer, L., Zar, H. J., & Stein, D. J. (2014). Intimate partner violence: associations with low infant birthweight in a South African birth cohort. *Metabolic Brain Disease*, *29*(2), 281-299. doi:10.1007/s11011-014-9525-4
 190. Kolla, N. J., van der Maas, M., Toplak, M. E., Erickson, P. G., Mann, R. E., Seeley, J., & Vingilis, E. (2016). Adult attention deficit hyperactivity disorder symptom profiles and concurrent problems with alcohol and cannabis: sex differences in a representative, population survey. *BMC Psychiatry*, *16*, 50. doi:http://dx.doi.org/10.1186/s12888-016-0746-4
 191. Krishnan, A., Brown, S. E., Ghani, M. A., Khan, F., Kamarulzaman, A., & Altice, F. L. (2016). Pretreatment drug use characteristics and experiences among patients in a voluntary substance abuse treatment center in Malaysia: A mixed-methods approach. *Substance Abuse*, *37*(4), 542-549. doi:10.1080/08897077.2016.1146648
 192. Krupski, A., West, I. I., Graves, M. C., Atkins, D. C., Maynard, C., Bumgardner, K., Donovan, D., Ries, R., & Roy-Byrne, P. (2015). Clinical Needs of Patients with Problem Drug Use. *The Journal of the American Board of Family Medicine*, *28*(5), 605-616. doi:10.3122/jabfm.2015.05.150004
 193. Krupski, A., West, I. I., Graves, M. C., Atkins, D. C., Maynard, C., Bumgardner, K., Donovan, D., Ries, R., & Roy-Byrne, P. (2015). Addressing the clinical needs of problem drug user patients. *Journal of the American Board of Family Medicine : JABFM*, *28*(5), 605-616. doi:10.3122/jabfm.2015.05.150004
 194. Kuchinad, K. E., Hutton, H. E., Monroe, A. K., Anderson, G., Moore, R. D., & Chander, G. (2016). A qualitative study of barriers to and facilitators of optimal engagement in care among PLWH and substance use/misuse. *BMC Research Notes*, *9*(1), 229. doi:10.1186/s13104-016-2032-4
 195. Kumar, P. C., Cleland, C. M., Gourevitch, M. N., Rotrosen, J., Strauss, S., Russell, L., & McNeely, J. (2016). Accuracy of the Audio Computer Assisted Self Interview version of the Alcohol, Smoking and Substance Involvement Screening Test (ACASI ASSIST) for identifying unhealthy substance use and substance use disorders in primary care patients. *Drug and Alcohol Dependence*, *165*, 38-44.

- doi:<http://dx.doi.org/10.1016/j.drugalcdep.2016.05.030>
196. Ladd, G. T., & Petry, N. M. (2002). Gender differences among pathological gamblers seeking treatment. *Experimental and Clinical Psychopharmacology*, *10*(3), 302-309.
 197. Ladd, G. T., & Petry, N. M. (2003). Antisocial personality in treatment-seeking cocaine abusers: Psychosocial functioning and HIV risk. *Journal of Substance Abuse Treatment*, *24*(4), 323-330.
 198. Langeland, W., van den Brink, W., Draijer, N., & Hartgers, C. (2001). Sensitivity of the Addiction Severity Index physical and sexual assault items: preliminary findings on gender differences. *European Addiction Research*, *7*(4), 193-197.
 199. Lasebikan, V. O., & Ola, B. A. (2016). Community-Based Screening, Brief Intervention, and Referral for Treatment for Unhealthy Tobacco Use: Single Arm Study Experience and Implementation Success in Rural and Semi-Rural Settings, South-West Nigeria. *Frontiers in Psychiatry*, *7*, 134.
doi:[10.3389/fpsy.2016.00134](https://doi.org/10.3389/fpsy.2016.00134)
 200. Lawless, A. K., Owens, M. D., & Hagler, K. J. (2016). The difference between experimentation and addiction: The relationship between lifetime polysubstance use and current substance use disorders. *Alcoholism: Clinical and Experimental Research*, *40*, 101A.
 201. Leamy, T. E., Connor, J. P., Voisey, J., Young, R. M., & Gullo, M. J. (2016). Alcohol misuse in emerging adulthood: Association of dopamine and serotonin receptor genes with impulsivity-related cognition. *Addictive Behaviors*, *63*, 29-36.
doi:<http://dx.doi.org/10.1016/j.addbeh.2016.05.008>
 202. Lebrun-Harris, L. A., Baggett, T. P., Jenkins, D. M., Sripipatana, A., Sharma, R., Hayashi, A. S., Daly, C. A., & Ngo-Metzger, Q. (2013). Health Status and Health Care Experiences among Homeless Patients in Federally Supported Health Centers: Findings from the 2009 Patient Survey. *Health Services Research*, *48*(3), 992-1017. doi:[10.1111/1475-6773.12009](https://doi.org/10.1111/1475-6773.12009)
 203. Lee, J. D., Delbanco, B., Wu, E., & Gourevitch, M. N. (2011). Substance use prevalence and screening instrument comparisons in urban primary care. *Substance Abuse*, *32*(3), 128-134. doi:[10.1080/08897077.2011.562732](https://doi.org/10.1080/08897077.2011.562732)
 204. Leite, L., Machado, L. N., & Lara, D. R. (2014). Emotional traits and affective temperaments in alcohol users, abusers and dependents in a national sample. *Journal of Affective Disorders*, *163*, 65-69.
doi:<http://dx.doi.org/10.1016/j.jad.2014.03.021>
 205. Lin, L., Bohnert, A. S. B., Price, A. M., Jannausch, M., Bonar, E. E., & Ilgen, M. A. (2015). Pain acceptance and opiate use disorders in addiction treatment patients with comorbid pain. *Drug and Alcohol Dependence*, *157*, 136-142.
doi:<http://dx.doi.org/10.1016/j.drugalcdep.2015.10.017>
 206. Lowenthal, E. D., Marukutira, T. C., Chapman, J., Mokete, K., Riva, K., Tshume, O., Eby, J., Matshaba, M., Anabwani, G. M., Gross, R., & Glanz, K. (2014). Psychosocial Assessments for HIV+ African Adolescents: Establishing Construct Validity and Exploring Under-Appreciated Correlates of Adherence. *PLoS ONE*, *9*(10), e109302. doi:[10.1371/journal.pone.0109302](https://doi.org/10.1371/journal.pone.0109302)

207. Mangold, D., Marino, E., & Javors, M. (2011). The cortisol awakening response predicts subclinical depressive symptomatology in Mexican American adults. *Journal of Psychiatric Research, 45*(7), 902-909.
doi:<http://dx.doi.org/10.1016/j.jpsychires.2011.01.001>
208. Marques, T. C., Sarracini, K. L., Cortellazzi, K. L., Mialhe, F. L., de Castro Meneghim, M., Pereira, A. C., & Ambrosano, G. M. (2015). The impact of oral health conditions, socioeconomic status and use of specific substances on quality of life of addicted persons. *BMC Oral Health, 15*, 38.
doi:<http://dx.doi.org/10.1186/s12903-015-0016-8>
209. Marsden, J., Eastwood, B., Ali, R., Burkinshaw, P., Chohan, G., Copello, A., Burn, D., Kelleher, M., Mitcheson, L., Taylor, S., Wilson, N., Whiteley, C., & Day, E. (2014). Development of the Addiction Dimensions for Assessment and Personalised Treatment (ADAPT). *Drug and Alcohol Dependence, 139*, 121-131.
doi:10.1016/j.drugalcdep.2014.03.018
210. Mawson, E., Best, D., Beckwith, M., Dingle, G. A., & Lubman, D. I. (2015). Social identity, social networks and recovery capital in emerging adulthood: A pilot study. *Substance abuse treatment, prevention, and policy, 10*(1), 45.
doi:10.1186/s13011-015-0041-2
211. Mawson, E., Best, D., & Lubman, D. I. (2016). Associations between social identity diversity, compatibility, and recovery capital amongst young people in substance use treatment. *Addictive Behaviors Reports, 4*, 70-77.
doi:10.1016/j.abrep.2016.10.002
212. Maynie-Francois, C., Cheng, D. M., Samet, J. H., Lloyd-Travaglini, C., Palfai, T., Bernstein, J., & Saitz, R. (2016). Unhealthy alcohol use in primary care patients who screen positive for drug use. *Substance Abuse, 1-6*.
doi:10.1080/08897077.2016.1216920
213. McCauley, J. L., Killeen, T., Gros, D. F., Brady, K. T., & Back, S. E. (2012). Posttraumatic Stress Disorder and Co-Occurring Substance Use Disorders: Advances in Assessment and Treatment. *Clinical Psychology: Science and Practice, 19*(3), 283-304. doi:10.1111/cpsp.12006
214. McNeely, J., Strauss, S. M., Rotrosen, J., Ramautar, A., & Gourevitch, M. N. (2016). Validation of an audio computer-assisted self-interview (ACASI) version of the alcohol, smoking and substance involvement screening test (ASSIST) in primary care patients. *Addiction, 111*(2), 233-244.
doi:<http://dx.doi.org/10.1111/add.13165>
215. McNeely, J., Strauss, S. M., Wright, S., Rotrosen, J., Khan, R., Lee, J. D., & Gourevitch, M. N. (2014). Test-retest reliability of a self-administered Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in primary care patients. *Journal of Substance Abuse Treatment, 47*(1), 93-101.
doi:<http://dx.doi.org/10.1016/j.jsat.2014.01.007>
216. McNeely, J., Wu, L., Subramaniam, G., & et al. (2016). Performance of the tobacco, alcohol, prescription medication, and other substance use (taps) tool for substance use screening in primary care patients. *Annals of Internal Medicine, 165*(10), 690-699. doi:10.7326/M16-0317

217. Mdege, N. D., & Lang, J. (2011). Screening instruments for detecting illicit drug use/abuse that could be useful in general hospital wards: a systematic review. *Addictive Behaviors, 36*(12), 1111-1119. doi:<http://dx.doi.org/10.1016/j.addbeh.2011.07.007>
218. Meade, C. S., Lion, R. R., Cordero, D. M., Watt, M. H., Joska, J. A., Gouse, H., & Burnhams, W. (2016). HIV Risk Behavior Among Methamphetamine Users Entering Substance Abuse Treatment in Cape Town, South Africa. *AIDS and Behavior, 20*(10), 2387-2397. doi:10.1007/s10461-016-1333-x
219. Meli, S., Palfai, T., Cheng, D. M., Alford, D., Bernstein, J., Samet, J., & Saitz, R. (2015). Screening and brief intervention for low risk drug use in primary care: A pilot randomized trial. *Drug and Alcohol Dependence, 156*, e149-e150. doi:<http://dx.doi.org/10.1016/j.drugalcdep.2015.07.407>
220. Mello, M. J., Baird, J., Lee, C., Strezsak, V., French, M. T., & Longabaugh, R. (2016). A Randomized Controlled Trial of a Telephone Intervention for Alcohol Misuse With Injured Emergency Department Patients. *Annals of Emergency Medicine, 67*(2), 263-275. doi:<http://dx.doi.org/10.1016/j.annemergmed.2015.09.021>
221. Mello, M. J., Baird, J., Strezsak, V., Lee, C., & Longabaugh, R. (2015). A Telephone Intervention for Risky Alcohol Use With Injured Emergency Department Patients. *Annals of Emergency Medicine, 66*(4, Supplement), S104-S105. doi:<http://dx.doi.org/10.1016/j.annemergmed.2015.07.323>
222. Merchant, R. C., Baird, J. R., Liu, T., Taylor, L. E., Montague, B. T., & Nirenberg, T. D. (2014). Brief intervention to increase emergency department uptake of combined rapid human immunodeficiency virus and hepatitis C screening among a drug misusing population. *Academic Emergency Medicine, 21*(7), 752-767. doi:10.1111/acem.12419
223. Merlin, J. S., Westfall, A. O., Raper, J. L., Zinski, A., Norton, W. E., Willig, J. H., Gross, R., Ritchie, C. S., Saag, M. S., & Mugavero, M. J. (2012). Pain, Mood, and Substance Abuse in HIV: Implications for Clinic Visit Utilization, ART Adherence, and Virologic Failure. *Journal of acquired immune deficiency syndromes (1999), 61*(2), 164-170. doi:10.1097/QAI.0b013e3182662215
224. Mertens, J. R., Ward, C. L., Bresick, G. F., Broder, T., & Weisner, C. M. (2014). Effectiveness of nurse-practitioner-delivered brief motivational intervention for young adult alcohol and drug use in primary care in South Africa: a randomized clinical trial. *Alcohol & Alcoholism, 49*(4), 430-438. doi:10.1093/alcalc/agu030
225. Meyers, K., McLellan, A. T., Jaeger, J. L., & Pettinati, H. M. (1995). The development of the Comprehensive Addiction Severity Index for Adolescents (CASI-A). An interview for assessing multiple problems of adolescents. *Journal of Substance Abuse Treatment, 12*(3), 181-193.
226. Micheli, D. D., Patrick, V. J., & Formigoni, M. L. O. S. (2010). Concurrent validation of Brazilian version of assist-who for adolescents. *Alcoholism: Clinical and Experimental Research, 34*, 128A.
227. Mokaya, A. G., Mutiso, V., Musau, A., Tele, A., Kombe, Y., Ng'ang'a, Z., Frank, E., Ndeti, D. M., & Clair, V. (2016). Substance Use among a Sample of

- Healthcare Workers in Kenya: A Cross-Sectional Study. *Journal of Psychoactive Drugs*, 48(4), 310-319. doi:10.1080/02791072.2016.1211352
228. Monney, G., Penzenstadler, L., Dupraz, O., Etter, J.-F., & Khazaal, Y. (2015). mHealth App for Cannabis Users: Satisfaction and Perceived Usefulness. *Frontiers in Psychiatry*, 6, 120. doi:10.3389/fpsy.2015.00120
229. Mooney, L., Hillhouse, M. P., Thomas, C., Ang, A., Hasson, A., Annon, J., Reed, S., & Ling, W. (2015). Psychiatric symptoms and treatment outcomes in cocaine-dependent adults treated with buprenorphine and long-acting naltrexone. *Drug and Alcohol Dependence*, 156, e157-e158.
230. Murray, L. K., Skavenski, S., Kane, J. C., & et al. (2015). Effectiveness of trauma-focused cognitive behavioral therapy among trauma-affected children in Lusaka, Zambia: A randomized clinical trial. *JAMA Pediatrics*, 169(8), 761-769. doi:10.1001/jamapediatrics.2015.0580
231. Ndeti, D. M., Khasakhala, L. I., Ongecha-Owuor, F. A., Kuria, M. W., Mutiso, V., & Kokonya, D. A. (2009). Prevalence of substance abuse among patients in general medical facilities in Kenya. *Substance Abuse*, 30(2), 182-190. doi:10.1080/08897070902802125
232. Newcombe, D., Tanielu-Stowers, H., McDermott, R., Stephen, J., & Nosa, V. (2016). The validation of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) amongst Pacific people in New Zealand. *New Zealand Journal of Psychology*, 45(1), 30-39.
233. Newcombe, D. A., Humeniuk, R. E., & Ali, R. (2005). Validation of the World Health Organization Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): report of results from the Australian site. *Drug & Alcohol Review*, 24(3), 217-226. doi:10.1080/09595230500170266
234. Nguyen Bich, D., Korhuis, P. T., Nguyen Thu, T., Van Dinh, H., & Le Minh, G. (2016). HIV Patients' Preference for Integrated Models of Addiction and HIV Treatment in Vietnam. *Journal of Substance Abuse Treatment*, 69, 57-63. doi:http://dx.doi.org/10.1016/j.jsat.2016.07.003
235. O'Dea, B., Glozier, N., Purcell, R., McGorry, P. D., Scott, J., Feilds, K.-L., Hermens, D. F., Buchanan, J., Scott, E. M., Yung, A. R., Killackey, E., Guastella, A. J., & Hickie, I. B. (2014). A cross-sectional exploration of the clinical characteristics of disengaged (NEET) young people in primary mental healthcare. *BMJ Open*, 4(12). doi:10.1136/bmjopen-2014-006378
236. O'Grady, K. E., Gryczynski, J., Mitchell, S. G., Ondersma, S. J., & Schwartz, R. P. (2016). Confirmatory factor analysis of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in community health center patients. *The American Journal on Addictions*, 25(4), 259-263. doi:http://dx.doi.org/10.1111/ajad.12360
237. O'Brien, C. L., Ski, C. F., Thompson, D. R., Moore, G., Mancuso, S., Jenkins, A., Ward, G., MacIsaac, R. J., Loh, M., Knowles, S. R., Rossell, S. L., & Castle, D. J. (2016). The Mental Health in Diabetes Service (MINDS) to enhance psychosocial health: study protocol for a randomized controlled trial. *Trials*, 17(1), 444. doi:10.1186/s13063-016-1561-4

238. Ogel, K., Evren, C., Karadag, F., & Gurol, D. T. (2012). The development, validity, and reliability of the Addiction Profile Index (API). *Turk Psikiyatri Derg*, 23(4), 263-275.
239. Ögel, K., Karadağ, F., Evren, C., & Gürol, D. T. (2011). Does the profile of addiction change according to the type of the substance used? *Klinik Psikofarmakoloji Bulteni*, 21, S154-S155.
240. Okuyemi, K. S., Nollen, N. L., & Ahluwalia, J. S. (2006). Interventions to facilitate smoking cessation. *American Family Physician*, 74(2), 262-271.
241. Page, K., Stein, E. S., Carrico, A. W., Evans, J. L., Sokunny, M., Nil, E., Ngak, S., Sophal, C., McCulloch, C., & Maher, L. (2016). Protocol of a cluster randomised stepped-wedge trial of behavioural interventions targeting amphetamine-type stimulant use and sexual risk among female entertainment and sex workers in Cambodia. *BMJ Open*, 6(5). doi:10.1136/bmjopen-2015-010854
242. Pal, H. R., Jena, R., & Yadav, D. (2004). Validation of the Alcohol Use Disorders Identification Test (AUDIT) in urban community outreach and de-addiction center samples in North India. *Journal of Studies on Alcohol*, 65(6), 794-800.
243. Palfai, T., Saitz, R., & Winter, M. R. (2015). Moderators of electronic screening and brief intervention for marijuana among students in a health center: eCHECKUP TO GO bolsters efforts of those who are already trying to change. *Drug and Alcohol Dependence*, 156, e170. doi:http://dx.doi.org/10.1016/j.drugalcdep.2015.07.462
244. Palfai, T. P., Saitz, R., Winter, M., Brown, T. A., Kypri, K., Goodness, T. M., O'Brien, L. M., & Lu, J. (2014). Web-based screening and brief intervention for student marijuana use in a university health center: Pilot study to examine the implementation of eCHECKUP TO GO in different contexts. *Addictive Behaviors*, 39(9), 1346-1352. doi:http://dx.doi.org/10.1016/j.addbeh.2014.04.025
245. Palfai, T. P., Tahaney, K., Winter, M., & Saitz, R. (2016). Readiness-to-change as a moderator of a web-based brief intervention for marijuana among students identified by health center screening. *Drug and Alcohol Dependence*, 161, 368-371. doi:http://dx.doi.org/10.1016/j.drugalcdep.2016.01.027
246. Palfai, T. P., Tahaney, K. D., & Winter, M. R. (2015). Is Marijuana Use Associated With Health Promotion Behaviors Among College Students? Health-Promoting and Health-Risk Behaviors Among Students Identified Through Screening in a University Student Health Services Center. *Journal of Drug Issues*, 46(1), 41-50. doi:10.1177/0022042615610619
247. Paltzer, J., Brown, R. L., Burns, M., Moberg, D. P., Mullahy, J., Sethi, A. K., & Weimer, D. (2016). Substance Use Screening, Brief Intervention, and Referral to Treatment Among Medicaid Patients in Wisconsin: Impacts on Healthcare Utilization and Costs. *The Journal of Behavioral Health Services & Research*, 1-11. doi:10.1007/s11414-016-9510-2
248. Parhami, I., Hyman, M., Siani, A., Lin, S., Collard, M., Garcia, J., Casaus, L., Tsuang, J., & Fong, T. W. (2012). Screening for addictive disorders within a workers' compensation clinic: an exploratory study. *Substance Use & Misuse*, 47(1), 99-107. doi:10.3109/10826084.2011.629705

249. Park, T. W., Cheng, D. M., Lloyd-Travaglini, C. A., Bernstein, J., Palfai, T. P., & Saitz, R. (2015). Changes in health outcomes as a function of abstinence and reduction in illicit psychoactive drug use: a prospective study in primary care. *Addiction, 110*(9), 1476-1483. doi:10.1111/add.13020
250. Parker, R., Armstrong, M. J., Corbett, C., Day, E. J., & Neuberger, J. M. (2013). Alcohol and Substance Abuse in Solid-Organ Transplant Recipients. *Transplantation, 96*(12), 1015-1024. doi:10.1097/TP.0b013e31829f7579
251. Passos, S. M., & Souza, L. D. (2015). An evaluation of quality of life and its determinants among people living with HIV/AIDS from Southern Brazil. *Cadernos de saúde pública, 31*(4), 800-814.
252. Pedrero Pérez, E. J., Rodríguez Monje, M. T., Gallardo Alonso, F., Fernández Girón, M., Pérez López, M., & Chicharro Romero, J. (2007). Validation of a tool for screening of impulse control disorders and addiction: MULTICAGE CAD-4. *Trastornos Adictivos, 9*(4), 269-278.
253. Peltzer, K., & Pengpid, S. (2015). Anxiety and depression symptoms following smoking cessation and/or brief alcohol treatment among moderate risk smokers and drinkers. *Journal of Psychology in Africa, 25*(4), 361-363. doi:10.1080/14330237.2015.1078095
254. Pengpid, S., Peltzer, K., Puckpinyo, A., & Thammaaphiphol, K. (2016). Conjoint moderate or high-risk alcohol and tobacco use among male out-patients in Thailand. *South African Journal of Psychiatry, 22*, 1-5.
255. Pengpid, S., Peltzer, K., Puckpinyo, A., Viripiomgool, S., Thamma-aphiphol, K., Suthisukhon, K., Dumee, D., & Kongtapan, T. (2015). Screening and concurrent brief intervention of conjoint hazardous or harmful alcohol and tobacco use in hospital out-patients in Thailand: A randomized controlled trial. *Substance Abuse: Treatment, Prevention, and Policy, 10*(1). doi:10.1186/s13011-015-0018-1
256. Pérez Moreno, P., Calzada Álvarez, N., Rovira Guardiola, J., & Torrico Linares, E. (2012). Estructura factorial del test ASSIST: aplicación del análisis factorial exploratorio y confirmatorio. *Trastornos Adictivos, 14*(2), 44-49. doi:10.1016/s1575-0973(12)70043-0
257. Pesa, N., Hermens, D. F., Battisti, R. A., Kaur, M., Hickie, I. B., & Solowij, N. (2012). Delayed preattentional functioning in early psychosis patients with cannabis use. *Psychopharmacology, 222*(3), 507-518. doi:10.1007/s00213-012-2676-2
258. Peters, R. H., Kearns, W. D., Murrin, M. R., & Dolente, A. S. (1992). Psychopathology and mental health needs among drug-involved inmates. *Journal of Prison and Jail Health, 11*(1), 3-25.
259. Piauilino, D. C., Bueno, O. F., Tufik, S., Bittencourt, L. R., Santos-Silva, R., Hachul, H., Gorenstein, C., & Pompeia, S. (2010). The Prospective and Retrospective Memory Questionnaire: a population-based random sampling study. *Memory, 18*(4), 413-426. doi:10.1080/09658211003742672
260. Pischke, C. R., Zeeb, H., van Hal, G., Vriesacker, B., McAlaney, J., Bewick, B. M., Akvardar, Y., Guillén-Grima, F., Orosova, O., Salonna, F., Kalina, O., Stock, C., Helmer, S. M., & Mikolajczyk, R. T. (2012). A feasibility trial to examine the

- social norms approach for the prevention and reduction of licit and illicit drug use in European University and college students. *BMC Public Health*, 12(1), 882. doi:10.1186/1471-2458-12-882
261. Plomp, H. N. (1994). Addiction Regulation Index Amsterdam (ARIA), an instrument to assess the degree of self-support and problems of addicts. *Tijdschrift voor Alcohol, Drugs en Andere Psychotrope Stoffen*, 20(3), 148-159.
262. Prendergast, M., Cartier, J., & Lee, A. B. (2014). Considerations for Introducing SBIRT into a Jail Setting. *Offender programs report*, 17(6), 81-86.
263. Prendergast, M. L., & Cartier, J. J. (2013). Screening, brief intervention, and referral to treatment (SBIRT) for offenders: protocol for a pragmatic randomized trial. *Addiction Science & Clinical Practice*, 8(1), 16. doi:10.1186/1940-0640-8-16
264. Prendergast, M. L., McCollister, K., & Warda, U. (2017). A randomized study of the use of screening, brief intervention, and referral to treatment (SBIRT) for drug and alcohol use with jail inmates. *Journal of Substance Abuse Treatment*, 74, 54-64. doi:10.1016/j.jsat.2016.12.011
265. Purcell, R., & Harrigan, S. (2017). Lifetime rates and correlates of crime victimisation in young people with mental ill-health. *Australas Psychiatry*, 25(2), 135-139. doi:10.1177/1039856216658826
266. Purcell, R., Harrigan, S., Glozier, N., Amminger, G. P., & Yung, A. R. (2015). Self reported rates of criminal offending and victimization in young people at-risk for psychosis. *Schizophrenia Research*, 166(1-3), 55-59. doi:http://dx.doi.org/10.1016/j.schres.2015.05.024
267. Purcell, R., Jorm, A. F., Hickie, I. B., Yung, A. R., Pantelis, C., Amminger, G. P., Glozier, N., Killackey, E., Phillips, L. J., Wood, S. J., Harrigan, S., Mackinnon, A., Scott, E., Hermens, D. F., Guastella, A. J., Kenyon, A., Mundy, L., Nichles, A., Scaffidi, A., Spiliotacopoulos, D., Taylor, L., Tong, J. P. Y., Wiltink, S., Zmicerevska, N., & McGorry, P. D. (2015). Demographic and clinical characteristics of young people seeking help at youth mental health services: baseline findings of the Transitions Study. *Early Intervention in Psychiatry*, 9(6), 487-497. doi:10.1111/eip.12133
268. Richmond, M. K., Page, K., Rivera, L. S., Reimann, B., & Fischer, L. (2013). Trends in detection rates of risky marijuana use in Colorado health care settings. *Substance Abuse*, 34(3), 248-255. doi:10.1080/08897077.2012.755146
269. Richmond, M. K., Pampel, F. C., Rivera, L. S., Broderick, K. B., Reimann, B., & Fischer, L. (2015). Frequency and Risk of Marijuana Use among Substance-Using Health Care Patients in Colorado with and without Access to State Legalized Medical Marijuana. *Journal of Psychoactive Drugs*, 47(1), 1-9. doi:10.1080/02791072.2014.991008
270. Righetti, V., & Favrod-Coune, T. (2010). Screening and evaluation questionnaires for psychoactive substance use. *Revue Medicale Suisse*, 6(264), 1821-1825.
271. Rikoon, S. H., Cacciola, J. S., Carise, D., Alterman, A. I., & McLellan, A. T. (2006). Predicting DSM-IV dependence diagnoses from Addiction Severity Index composite scores. *Journal of Substance Abuse Treatment*, 31(1), 17-24.
272. Rivest, J., Jutras-Aswad, D., & Shapiro, P. A. (2013). Treating the "unhealthy

- alcohol user" on medical wards: beyond withdrawal. *Journal of Psychiatric Practice*, 19(3), 213-226.
doi:http://dx.doi.org/10.1097/01.pra.0000430505.52391.48
273. Robles-García, R., Fresán, A., Castellanos-Ryan, N., Conrod, P., Gómez, D., de Quevedo y Domínguez, M. E. G., Rafful, C., Real, T., Vásquez, L., & Medina-Mora, M. E. (2014). Spanish version of the Substance Use Risk Profile Scale: Factor structure, reliability, and validity in Mexican adolescents. *Psychiatry Research*, 220(3), 1113-1117.
doi:http://dx.doi.org/10.1016/j.psychres.2014.08.057
274. Rogers, R., Baird, J., He, J. K., Adams, C., & Mello, M. (2014). Using the alcohol, smoking and Substance Involvement Screening Test (ASSIST) to determine substance abuse prevalence in the RI trauma population. *RI Med J (2013)*, 97(2), 42-44.
275. Ross, J. D., Bahl, R., Connery, H. S., & Greenfield, S. F. (2011). Implementation of screening, brief intervention, and referral to treatment in psychiatric emergency settings. *American Journal on Addictions*, 20(4), 378.
276. Roszell, D. K., Calsyn, D. A., & Chaney, E. F. (1986). Alcohol use and psychopathology in opioid addicts on methadone maintenance. *American Journal of Drug and Alcohol Abuse*, 12(3), 269-278.
277. Rubio Valldolid, G., Martínez-Raga, J., Martínez-Gras, I., Ponce Alfaro, G., de la Cruz Bertolo, J., Jurado Barba, R., Rigabert Sanchez-Junco, A., & Zarco Montejo, J. (2014). Validation of the Spanish version of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST). *Psicothema*, 26(2), 180-185.
doi:http://dx.doi.org/10.7334/psicothema2013.172
278. Rubio Valldolid, G., Martínez-Raga, J., Martínez-Gras, I., Ponce Alfaro, G., de la Cruz Bértolo, J., Jurado Barba, R., Rigabert Sánchez-Junco, A., & Zarco Montejo, J. (2014). Validation of the Spanish version of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST). *Psicothema*, 26(2), 180-185.
279. Saitz, R., Alford, D. P., Bernstein, J., Cheng, D. M., Samet, J., & Palfai, T. (2010). Screening and Brief Intervention for Unhealthy Drug Use in Primary Care Settings: Randomized Clinical Trials Are Needed. *Journal of Addiction Medicine*, 4(3), 123-130. doi:10.1097/ADM.0b013e3181db6b67
280. Saitz, R., Palfai, T. A., Cheng, D. M., & et al. (2014). Screening and brief intervention for drug use in primary care: The aspire randomized clinical trial. *JAMA*, 312(5), 502-513. doi:10.1001/jama.2014.7862
281. Salameh, P., Rachidi, S., Al-Hajje, A., Awada, S., Chouaib, K., Saleh, N., & Bawab, W. (2015). Substance use among Lebanese university students: prevalence and associated factors. *Eastern Mediterranean Health Journal*, 21(5), 332-341.
282. Saleh, M. I. (2014). Modeling Longitudinal Changes in Buprenorphine Treatment Outcome for Opioid Dependence. *Pharmacopsychiatry*, 47(7), 251-258.
283. San Narciso, G. I., Gutierrez, E., Saiz, P. A., Gonzalez, M. P., Bascaran, M. T., & Bobes, J. (2000). Assessment of personality disorders in heroin abusers using the International Personality Disorders (IPDE). *Adicciones*, 12(1), 43-56.

284. Saunders, J. B., & Lee, N. K. (2000). Hazardous alcohol use: its delineation as a subthreshold disorder, and approaches to its diagnosis and management. *Comprehensive Psychiatry*, *41*(2 Suppl 1), 95-103.
285. Sayans Jiménez, P., Fernández Calderón, F., Vidal Giné, C., & Rojas Tejada, A. J. (2012). Aplicación de un modelo politómico de TRI al test ASSIST para el estudio de sus propiedades métricas. *Trastornos Adictivos*, *14*(2), 50-57. doi:10.1016/s1575-0973(12)70044-2
286. Schackman, B. R., Dastur, Z., Rubin, D. S., Berger, J., Camhi, E., Netherland, J., Ni, Q., & Finkelstein, R. (2009). Feasibility of using audio computer-assisted self-interview (ACASI) screening in routine HIV care. *AIDS Care*, *21*(8), 992-999. doi:10.1080/09540120802657506
287. Scheurich, A., Muller, M. J., Wetzel, H., Anghelescu, I., Klawe, C., Ruppe, A., Lorch, B., Himmerich, H., Heidenreich, M., Schmid, G., Hautzinger, M., & Szegedi, A. (2000). Reliability and validity of the German version of the European Addiction Severity Index (EuropASI). *Journal of Studies on Alcohol & Drugs*, *61*(6), 916-919.
288. Schneider, R., Jr., Ottoni, G. L., de Carvalho, H. W., Elisabetsky, E., & Lara, D. R. (2015). Temperament and character traits associated with the use of alcohol, cannabis, cocaine, benzodiazepines, and hallucinogens: evidence from a large Brazilian web survey. *Revista Brasileira de Psiquiatria*, *37*(1), 31-39. doi:http://dx.doi.org/10.1590/1516-4446-2014-1352
289. Schwartz, R. P., Gryczynski, J., Mitchell, S. G., Gonzales, A., Moseley, A., Peterson, T. R., Ondersma, S. J., & O'Grady, K. E. (2014). Computerized versus in-person brief intervention for drug misuse: a randomized clinical trial. *Addiction*, *109*(7), 1091-1098. doi:http://dx.doi.org/10.1111/add.12502
290. Schwartz, R. P., McNeely, J., Wu, L. T., Sharma, G., Wahle, A., Cushing, C., Nordeck, C. D., Sharma, A., O'Grady, K. E., Gryczynski, J., Mitchell, S. G., Ali, R. L., Marsden, J., & Subramaniam, G. A. (2017). Identifying substance misuse in primary care: TAPS Tool compared to the WHO ASSIST. *Journal of Substance Abuse Treatment*, *76*, 69-76. doi:10.1016/j.jsat.2017.01.013
291. Scott, E. M., Hermens, D. F., Naismith, S. L., Guastella, A. J., White, D., Whitwell, B. G., Lagopoulos, J., Scott, J., & Hickie, I. B. (2013). Distress and disability in young adults presenting to clinical services with mood disorders. *International Journal of Bipolar Disorders*, *1*(1), 23. doi:10.1186/2194-7511-1-23
292. Scott, J., Scott, E. M., Hermens, D. F., Naismith, S. L., Guastella, A. J., White, D., Whitwell, B., Lagopoulos, J., & Hickie, I. B. (2014). Functional impairment in adolescents and young adults with emerging mood disorders. *The British Journal of Psychiatry*, *205*(5), 362.
293. Shanahan, C. W., Sorensen-Alawad, A., Carney, B. L., Persand, I., Cruz, A., Botticelli, M., Pressman, K., Adams, W. G., Brodin, M., & Alford, D. P. (2014). The implementation of an integrated information system for substance use screening in general medical settings. *Applied clinical informatics*, *5*(4), 878-894. Retrieved from <http://europepmc.org/abstract/MED/25589904>
294. Sharp, C., Dellis, A., Hofmeyr, A., Kincaid, H., & Ross, D. (2015). First Evidence

- of Comorbidity of Problem Gambling and Other Psychiatric Problems in a Representative Urban Sample of South Africa. *Journal of Gambling Studies*, 31(3), 679-694. doi:<http://dx.doi.org/10.1007/s10899-014-9469-y>
295. Shepherd, S. M., & Purcell, R. (2015). What Are The Factors Associated With Criminal Behaviour For Young People With Mental Health Problems? *Psychiatry, Psychology and Law*, 22(6), 869-879. doi:10.1080/13218719.2015.1015399
296. Shoptaw, S., Watson, D. W., Reiber, C., Rawson, R. A., Montgomery, M. A., Majewska, M. D., & Ling, W. (2005). Randomized controlled pilot trial of cabergoline, hydergine and levodopa/carbidopa: Los Angeles Cocaine Rapid Efficacy Screening Trial (CREST). *Addiction*, 100 Suppl 1(SUPPL. 1), 78-90. doi:10.1111/j.1360-0443.2005.00991.x
297. Singh, V., Epstein-Ngo, Q., Cunningham, R. M., Stoddard, S. A., Chermack, S. T., & Walton, M. A. (2015). Physical dating violence among adolescents and young adults with alcohol misuse. *Drug and Alcohol Dependence*, 153, 364-368. doi:<http://dx.doi.org/10.1016/j.drugalcdep.2015.05.003>
298. Slaymaker, V. J., & Owen, P. (2008). Alcohol and other drug dependence severity among older adults in treatment: Measuring characteristics and outcomes. *Alcoholism Treatment Quarterly*, 26(3), 259-273.
299. Smith, L. R., Earnshaw, V. A., Copenhaver, M. M., & Cunningham, C. O. (2016). Substance use stigma: Reliability and validity of a theory-based scale for substance-using populations. *Drug and Alcohol Dependence*, 162, 34-43. doi:<http://dx.doi.org/10.1016/j.drugalcdep.2016.02.019>
300. Soares, M. H., Luís, M. A. V., Corradi-Webster, C. M., Martins, J. T., & Hirata, A. G. P. (2011). Conceito psicológico de otimismo e uso de drogas entre estudantes de enfermagem. *Acta Paulista de Enfermagem*, 24, 393-399.
301. Sorge, G. B., Flora, D. B., van der Maas, M., Vingilis, E., Erickson, P., Kolla, N. J., Mann, R. E., Seeley, J., & Toplak, M. E. (2015). Using factor analytic models to examine the association between attention-deficit/hyperactivity disorder symptoms and health-related outcomes in a representative population survey. *ADHD Attention Deficit and Hyperactivity Disorders*, 7(3), 225-235. doi:10.1007/s12402-015-0167-0
302. Sorsdahl, K., Myers, B., Ward, C. L., Matzopoulos, R., Mtukushe, B., Nicol, A., Cuijpers, P., & Stein, D. J. (2015). Adapting a blended motivational interviewing and problem-solving intervention to address risky substance use amongst South Africans. *Psychother Res*, 25(4), 435-444. doi:10.1080/10503307.2014.897770
303. Sorsdahl, K., Stein, D. J., Carrara, H., & Myers, B. (2014). Problem solving styles among people who use alcohol and other drugs in South Africa. *Addictive Behaviors*, 39(1), 122-126. doi:<http://dx.doi.org/10.1016/j.addbeh.2013.09.011>
304. Sorsdahl, K., Stein, D. J., Corrigan, J., Cuijpers, P., Smits, N., Naledi, T., & Myers, B. (2015). The efficacy of a blended motivational interviewing and problem solving therapy intervention to reduce substance use among patients presenting for emergency services in South Africa: A randomized controlled trial. *Substance Abuse Treatment, Prevention, & Policy*, 10, 46. doi:<http://dx.doi.org/10.1186/s13011-015-0042-1>

305. Sorsdahl, K., Stein, D. J., Weich, L., Fourie, D., & Myers, B. (2012). The effectiveness of a hospital-based intervention for patients with substance-use problems in the Western Cape. *S Afr Med J*, *102*(7), 634-635.
306. Soto-Brandt, G., Huidobro, R. P., Artigas, D. H., Rivera-Rei, A., Escobar, M. J., Guzman, N. S., Canales-Johnson, A., Ibanez, A., Guzman, C. M., & Castillo-Carniglia, A. (2014). Validity evidence of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in Chile. *Adicciones*, *26*(4), 291-302.
307. Soto-Brandt, G., Portilla Huidobro, R., Huepe Artigas, D., Rivera-Rei, Á., Josefina Escobar, M., Salas Guzmán, N., Canales-Johnson, A., Ibáñez, A., Martínez Guzmán, C., & Castillo-Carniglia, Á. (2014). Evidencia de validez en Chile del Alcohol, Smoking and Substance Involvement Screening Test (ASSIST). *2014*, *26*(4), 12. doi:10.20882/adicciones.27
308. Spear, S. E., Shedlin, M., Gilberti, B., Fiellin, M., & McNeely, J. (2016). Feasibility and acceptability of an audio computer-assisted self-interview version of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in primary care patients. *Substance Abuse*, *37*(2), 299-305. doi:10.1080/08897077.2015.1062460
309. Spinelli, M. A., Ponath, C., Tieu, L., Hurstak, E. E., Guzman, D., & Kushel, M. (2015). Substance use in a population-based sample of older homeless adults. *Journal of General Internal Medicine*, *30*, S261.
310. Staton-Tindall, M., Webster, M., Leukefeld, C., Havens, J. R., & Oser, C. B. (2015). Women's intervention to stop HIV/HCV (WISH). *Drug and Alcohol Dependence*, *156*, e211. doi:http://dx.doi.org/10.1016/j.drugalcdep.2015.07.569
311. Stea, J. N., & Hodgins, D. C. (2012). The relationship between lack of control and illusory pattern perception among at-risk gamblers and at-risk cannabis users. *The Social Science Journal*, *49*(4), 528-536. doi:http://dx.doi.org/10.1016/j.soscij.2012.05.001
312. Stea, J. N., Hodgins, D. C., & Lambert, M. J. (2011). Relations between delay discounting and low to moderate gambling, cannabis, and alcohol problems among university students. *Behavioural Processes*, *88*(3), 202-205. doi:http://dx.doi.org/10.1016/j.beproc.2011.09.002
313. Stein, D. J., Koen, N., Donald, K. A., Adnams, C. M., Koopowitz, S., Lund, C., Marais, A., Myers, B., Roos, A., Sorsdahl, K., Stern, M., Tomlinson, M., van der Westhuizen, C., Vythilingum, B., Myer, L., Barnett, W., Brittain, K., & Zar, H. J. (2015). Investigating the psychosocial determinants of child health in Africa: The Drakenstein Child Health Study. *Journal of Neuroscience Methods*, *252*, 27-35. doi:http://dx.doi.org/10.1016/j.jneumeth.2015.03.016
314. Stoddard, S. A., Epstein-Ngo, Q., Walton, M. A., Zimmerman, M. A., Chermack, S. T., Blow, F. C., Booth, B. M., & Cunningham, R. M. (2015). Substance use and violence among youth: a daily calendar analysis. *Substance Use & Misuse*, *50*(3), 328-339. doi:10.3109/10826084.2014.980953
315. Stoffelmayr, B. E., Mavis, B. E., & Kasim, R. M. (1994). The longitudinal stability of the Addiction Severity Index. *Journal of Substance Abuse Treatment*, *11*(4), 373-378.

316. Strecher, V. J., Kobrin, S. C., Kreuter, M. W., Roodhouse, K., & Farrell, D. (1994). Opportunities for alcohol screening and counseling in primary care. *J Fam Pract*, 39(1), 26-32.
317. Streeb, E., Antoniali, V., Campanella, S., Castronovo, J., Hanak, C., Pelc, I., & Verbanck, P. (2005). Evaluation of cognitive functioning in 101 patients before opiate detoxification: implications in setting up therapeutic strategies. *Journal of Opioid Management*, 1(1), 49-53.
318. Stringfellow, E. J., Kim, T. W., Gordon, A. J., Pollio, D. E., Grucza, R. A., Austin, E. L., Johnson, N. K., & Kertesz, S. G. (2016). Substance use among persons with homeless experience in primary care. *Substance Abuse*, 37(4), 534-541. doi:10.1080/08897077.2016.1145616
319. Stringfellow, E. J., Kim, T. W., Pollio, D. E., & Kertesz, S. G. (2015). Primary care provider experience and social support among homeless-experienced persons with tri-morbidity. *Addiction Science & Clinical Practice*, 10(1), A64. doi:10.1186/1940-0640-10-S1-A64
320. Stubbe, D. E. (2015). Communication Commentary: Substance-Related and Addictive Disorders: Substance Use Disorder. *FOCUS*, 13(3), 332-334. doi:10.1176/appi.focus.130303
321. Suffoletto, B., Callaway, C. W., Kristan, J., Monti, P., & Clark, D. B. (2013). Mobile phone text message intervention to reduce binge drinking among young adults: study protocol for a randomized controlled trial. *Trials*, 14(1), 93. doi:10.1186/1745-6215-14-93
322. Suffoletto, B., & Chung, T. (2016). Patterns of Change in Weekend Drinking Cognitions Among Non-Treatment-Seeking Young Adults During Exposure to a 12-Week Text Message Intervention. *Journal of Studies on Alcohol and Drugs*, 77(6), 914-923. doi:10.15288/jsad.2016.77.914
323. Suffoletto, B., Kristan, J., Chung, T., Jeong, K., Fabio, A., Monti, P., & Clark, D. B. (2015). An Interactive Text Message Intervention to Reduce Binge Drinking in Young Adults: A Randomized Controlled Trial with 9-Month Outcomes. *PLoS ONE*, 10(11), e0142877. doi:10.1371/journal.pone.0142877
324. Sutherland, M. A., Fantasia, H. C., & McClain, N. (2013). Abuse Experiences, Substance Use, and Reproductive Health in Women Seeking Care at an Emergency Department. *Journal of Emergency Nursing*, 39(4), 326-333. doi:http://dx.doi.org/10.1016/j.jen.2011.09.011
325. Svikis, D. S., McCaul, M. E., Haug, N. A., & Boney, T. Y. (1996). Detecting alcohol problems in drug-dependent women of childbearing age. *Am J Drug Alcohol Abuse*, 22(4), 563-575.
326. Szobot, C. M., Rohde, L. A., Bukstein, O., Molina, B. S., Martins, C., Ruaro, P., & Pechansky, F. (2007). Is attention-deficit/hyperactivity disorder associated with illicit substance use disorders in male adolescents? A community-based case-control study. *Addiction*, 102(7), 1122-1130.
327. Tait, R. J., McKetin, R., Kay-Lambkin, F., Carron-Arthur, B., Bennett, A., Bennett, K., Christensen, H., & Griffiths, K. M. (2015). Six-month outcomes of a Web-based intervention for users of amphetamine-type stimulants: randomized

- controlled trial. *Journal of Medical Internet Research*, 17(4), e105.
doi:10.2196/jmir.3778
328. Tantirangsee, N., & Assanangkornchai, S. (2015). Prevalence, patterns, associated factors and severity of substance use among psychotic patients in southern Thailand. *Asian Journal of Psychiatry*, 13, 30-37.
doi:http://dx.doi.org/10.1016/j.ajp.2014.11.006
329. Tantirangsee, N., Assanangkornchai, S., & Marsden, J. (2015). Effects of a brief intervention for substance use on tobacco smoking and family relationship functioning in schizophrenia and related psychoses: a randomised controlled trial. *Journal of Substance Abuse Treatment*, 51, 30-37.
doi:http://dx.doi.org/10.1016/j.jsat.2014.10.011
330. Thake, J., & Davis, C. G. (2011). Assessing problematic cannabis use. *Addiction Research & Theory*, 19(5), 448-458. doi:10.3109/16066359.2010.545154
331. Thomas, E. G., Spittal, M. J., Heffernan, E. B., Taxman, F. S., Alati, R., & Kinner, S. A. (2016). Trajectories of psychological distress after prison release: implications for mental health service need in ex-prisoners. *Psychological Medicine*, 46(3), 611-621. doi:10.1017/S0033291715002123
332. Thomas, E. G., Spittal, M. J., Taxman, F. S., & Kinner, S. A. (2015). Health-related factors predict return to custody in a large cohort of ex-prisoners: new approaches to predicting re-incarceration. *Health & Justice*, 3(1), 10.
doi:10.1186/s40352-015-0022-6
333. Thompson, L., Pennay, A., Zimmermann, A., Cox, M., & Lubman, D. I. (2014). "Clozapine makes me quite drowsy, so when I wake up in the morning those first cups of coffee are really handy": an exploratory qualitative study of excessive caffeine consumption among individuals with schizophrenia. *BMC Psychiatry*, 14, 116. doi:http://dx.doi.org/10.1186/1471-244X-14-116
334. Tiet, Q. Q., Leyva, Y., Moos, R. H., & Smith, B. (2016). Diagnostic accuracy of a two-item screen for drug use developed from the alcohol, smoking and substance involvement screening test (ASSIST). *Drug and Alcohol Dependence*, 164, 22-27. doi:10.1016/j.drugalcdep.2016.03.029
335. Tkacz, J., Severt, J., Cacciola, J., & Ruetsch, C. (2012). Compliance with buprenorphine medication-assisted treatment and relapse to opioid use. *American Journal on Addictions*, 21(1), 55-62.
336. Tockus, D., & Gonçalves, P. S. (2008). Detection of drugs abuse among Medicine students in a private university. *Jornal Brasileiro de Psiquiatria*, 57(3), 184-187.
337. Torrico Linares, E., Vélez Moreno, A., Villalba Ruiz, E., Fernández Calderón, F., Hernández Cordero, A., & Ramírez López, J. (2012). ADHD in patients with drug addiction: Analysis of prevalence and consumption-related problems in a sample treated in an outpatient drug addiction service. *Trastornos Adictivos*, 14(3), 89-95.
338. Tran, D., & Bhar, S. (2014). Predictors for treatment expectancies among young people who attend drug and alcohol services: A pilot study. *Clinical Psychologist*, 18(1), 33-42. doi:10.1111/cp.12009

339. Tran, L. T., Roos, A., Fouche, J.-P., Koen, N., Woods, R. P., Zar, H. J., Narr, K. L., Stein, D. J., & Donald, K. A. (2016). White Matter Microstructural Integrity and Neurobehavioral Outcome of HIV-Exposed Uninfected Neonates. *Medicine*, *95*(4), e2577. doi:10.1097/md.0000000000002577
340. Trémeau, F., Darrege, A., Khidichian, F., Weibel, H., Kempf, M., Greth, P., Schneider, J. L., Wantz, C., Weber, B., Stépien, S., & Macher, J. P. (2002). Efficacy of a French methadone maintenance treatment program. *Encephale*, *28*(5 I), 448-453.
341. Turner, C. F., Villarroel, M. A., Rogers, S. M., Eggleston, E., Ganapathi, L., Roman, A. M., & Al-Tayyib, A. (2005). Reducing bias in telephone survey estimates of the prevalence of drug use: A randomized trial of telephone audio-CASI. *Addiction*, *100*(10), 1432-1444.
342. Vahidi, M., Rico, M., Scholtz, J., Garcia, M., Andersen, R., Yacenda, J., & Gelberg, L. (2015). Feasibility of the quit using drugs intervention trial. *Drug and Alcohol Dependence*, *146*, e8.
doi:http://dx.doi.org/10.1016/j.drugalcdep.2014.09.704
343. van der Westhuizen, C., Wyatt, G., Williams, J. K., Stein, D. J., & Sorsdahl, K. (2016). Validation of the Alcohol, Smoking and Substance Involvement Screening Test in a low- and middle-income country cross-sectional emergency centre study. *Drug and Alcohol Review*, *35*(6), 702-709. doi:10.1111/dar.12424
344. Vingilis, E., Mann, R. E., Erickson, P., Toplak, M., Kolla, N. J., Seeley, J., & Jain, U. (2014). Attention deficit hyperactivity disorder, other mental health problems, substance use, and driving: examination of a population-based, representative canadian sample. *Traffic Injury Prevention*, *15 Suppl 1*, S1-9.
doi:10.1080/15389588.2014.926341
345. Viswanath, H., Velasquez, K. M., Savjani, R., Molfese, D. L., Curtis, K., Molfese, P. J., Eagleman, D. M., Baldwin, P. R., Frueh, B. C., Fowler, J. C., & Salas, R. (2015). Interhemispheric insular and inferior frontal connectivity are associated with substance abuse in a psychiatric population. *Neuropharmacology*, *92*, 63-68.
346. Vu, N. T. T., Holt, M., Phan, H. T. T., Le, H. T., La, L. T., Tran, G. M., Doan, T. T., Nguyen, T. N. N., & de Wit, J. (2016). Amphetamine-type stimulant use among men who have sex with men (MSM) in Vietnam: Results from a socio-ecological, community-based study. *Drug and Alcohol Dependence*, *158*, 110-117.
doi:http://dx.doi.org/10.1016/j.drugalcdep.2015.11.016
347. Walker, R., Cole, J. E., Logan, T. K., & Corrigan, J. D. (2007). Screening substance abuse treatment clients for traumatic brain injury: Prevalence and characteristics. *Journal of Head Trauma Rehabilitation*, *22*(6), 360-367.
348. Ward, C. L., Gould, C., Kelly, J., & Mauff, K. (2015). Spare the rod and save the child assessing the impact of parenting on child behaviour and mental health. *SA Crime Quarterly*, 09-22.
349. Weaver, C. M., Trafton, J. A., Kimerling, R., Timko, C., & Moos, R. (2013). Prevalence and nature of criminal offending in a national sample of veterans in VA substance use treatment prior to the Operation Enduring Freedom/Operation Iraqi Freedom conflicts. *Psychological services*, *10*(1), 54-65.

350. Wilde, E. A., Whiteneck, G. G., Bogner, J., Bushnik, T., Cifu, D. X., Dikmen, S., French, L., Giacino, J. T., Hart, T., Malec, J. F., Millis, S. R., Novack, T. A., Sherer, M., Tulskey, D. S., Vanderploeg, R. D., & von Steinbuechel, N. (2010). Recommendations for the use of common outcome measures in traumatic brain injury research. *Arch Phys Med Rehabil*, *91*(11), 1650-1660 e1617. doi:10.1016/j.apmr.2010.06.033
351. William Best, D., & Ian Lubman, D. (2016). Friends matter but so does their substance use: The impact of social networks on substance use, offending and wellbeing among young people attending specialist alcohol and drug treatment services. *Drugs: Education, Prevention and Policy*, *24*(1), 111-117. doi:10.3109/09687637.2016.1149148
352. Wolff, N., & Shi, J. (2015). Screening for Substance Use Disorder Among Incarcerated Men with the Alcohol, Smoking, Substance Involvement Screening Test (ASSIST): A Comparative Analysis of Computer-Administered and Interviewer-Administered Modalities. *Journal of Substance Abuse Treatment*, *53*, 22-32. doi:http://dx.doi.org/10.1016/j.jsat.2015.01.006
353. Wong, U., & Hodgins, D. C. (2013). Development of the game addiction inventory for adults (GAIA). *Addiction Research & Theory*, *22*(3), 195-209. doi:10.3109/16066359.2013.824565
354. Woodruff, S. I., Clapp, J. D., Eisenberg, K., McCabe, C., Hohman, M., Shillington, A. M., Sise, C. B., Castillo, E. M., Chan, T. C., Sise, M. J., & Gareri, J. (2014). Randomized clinical trial of the effects of screening and brief intervention for illicit drug use: the Life Shift/Shift Gears study. *Addiction Science & Clinical Practice*, *9*, 8.
355. Woodruff, S. I., Zuniga, M. L., & Lawrenz, J. (2011). Ethnoracial differences in emergency department patients' tobacco use. *Nicotine & Tobacco Research*, *13*(11), 1037-1044. doi:10.1093/ntr/ntr128
356. Wu, L.-T., McNeely, J., Subramaniam, G. A., Sharma, G., VanVeldhuisen, P., & Schwartz, R. P. (2016). Design of the NIDA clinical trials network validation study of tobacco, alcohol, prescription medications, and substance use/misuse (TAPS) tool. *Contemporary Clinical Trials*, *50*, 90-97. doi:http://dx.doi.org/10.1016/j.cct.2016.07.013
357. Yanta, J. H., Kristan, J. T., Douiahy, A. B., & Suffoletto, B. P. (2015). EMF feasibility of using a novel text messaging program to improve linkage to outpatient services for emergency department patients seeking treatment for opioid abuse. *Annals of Emergency Medicine*, *66*(4), S121.
358. Zarkin, G., Bray, J., Hinde, J., & Saitz, R. (2015). Costs of Screening and Brief Intervention for Illicit Drug Use in Primary Care Settings. *Journal of Studies on Alcohol and Drugs*, *76*(2), 222-228. doi:10.15288/jsad.2015.76.222
359. Zgierska, A., Amaza, I. P., Brown, R. L., Mundt, M., & Fleming, M. F. (2014). Unhealthy drug use: How to screen, when to intervene. *The Journal of Family Practice*, *63*(9), 524-530.